


SHARP**SERVICE MANUAL**

S52i8LC-20B1U

**LCD COLOR TELEVISION****MODEL LC-20B1U**

In the interests of user-safety (Required by safety regulations in some countries) the set should be restored to its original condition and only parts identical to those specified should be used.

CONTENTS

	Page		Page
• IMPORTANT SERVICE SAFETY PRECAUTION	2	■ INVERTER-A UNIT	50
• SPECIFICATIONS	5	■ INVERTER-B UNIT	51
• OPERATION MANUAL	6	• PRINTED WIRING BOARD ASSEMBLIES	52
• DIMENSIONS	8	• PARTS LIST	
• REMOVING OF MAJOR PARTS	9	■ ELECTRICAL PARTS	56
• ADJUSTING PROCEDURE OF EACH SECTION	13	■ DIGITAL UNIT	56
• TROUBLE SHOOTING TABLE	24	■ ANALOG UNIT	61
• CHASSIS LAYOUT	30	■ CONTROL UNIT	64
• BLOCK DIAGRAM	32	■ RC/LED UNIT	64
• DESCRIPTION OF SCHEMATIC DIAGRAM ..	34	■ INVERTER-A UNIT	65
• SCHEMATIC DIAGRAM		■ INVERTER-B UNIT	65
■ CONTROL and RC/LED UNIT	35	■ CABINET AND MECHANICAL PARTS	66
■ DIGITAL UNIT	36	■ ACCESSORIES PARTS	68
■ ANALOG UNIT	46	■ PACKING PARTS	68
		• PACKING OF THE SET	69

SHARP CORPORATION


This document has been published to be used for after sales service only.
The contents are subject to change without notice.

IMPORTANT SERVICE SAFETY PRECAUTION

- **Service work should be performed only by qualified service technicians who are thoroughly familiar with all safety checks and the servicing guidelines which follow:**

WARNING

1. For continued safety, no modification of any circuit should be attempted.
2. Disconnect AC power before servicing.



BEFORE RETURNING THE RECEIVER (Fire & Shock Hazard)

Before returning the receiver to the user, perform the following safety checks:


1. Inspect all lead dress to make certain that leads are not pinched, and check that hardware is not lodged between the chassis and other metal parts in the receiver.
2. Inspect all protective devices such as non-metallic control knobs, insulation materials, cabinet backs, adjustment and compartment covers or shields, isolation resistor-capacitor networks, mechanical insulators, etc.
3. To be sure that no shock hazard exists, check for leakage current in the following manner.
 - Plug the AC cord directly into a 110~240 volt AC outlet, and connect the DC power cable into the receiver's DC jack. (Do not use an isolation transformer for this test).
 - Using two clip leads, connect a 50k ohm, 10 watt resistor paralleled by a 0.15 μ F capacitor in series with all exposed metal cabinet parts and a known earth

ground, such as electrical conduit or electrical ground connected to an earth ground.

- Use an AC voltmeter having with 5000 ohm per volt, or higher, sensitivity or measure the AC voltage drop across the resistor.
- Connect the resistor connection to all exposed metal parts having a return to the chassis (antenna, metal cabinet, screw heads, knobs and control shafts, escutcheon, etc.) and measure the AC voltage drop across the resistor.

All checks must be repeated with the AC cord plug connection reversed. (If necessary, a nonpolarized adaptor plug must be used only for the purpose of completing these checks.)

Any reading of 0.75V peak (this corresponds to 0.5 milliamp. peak AC.) or more is excessive and indicates a potential shock hazard which must be corrected before returning the monitor to the owner.



SAFETY NOTICE

Many electrical and mechanical parts in LCD television have special safety-related characteristics.

These characteristics are often not evident from visual inspection, nor can protection afforded by them be necessarily increased by using replacement components rated for higher voltage, wattage, etc.

Replacement parts which have these special safety characteristics are identified in this manual; electrical components having such features are identified by “⚠”

and shaded areas in the **Replacement Parts Lists** and **Schematic Diagrams**.

For continued protection, replacement parts must be identical to those used in the original circuit.


The use of a substitute replacement parts which do not have the same safety characteristics as the factory recommended replacement parts shown in this service manual, may create shock, fire or other hazards.

PRECAUTIONS A PRENDRE LORS DE LA REPARATION

■ Ne peut effectuer la réparation qu' un technicien spécialisé qui s'est parfaitement accoutumé à toute vérification de sécurité et aux conseils suivants.

AVERTISSEMENT

1. N'entreprendre aucune modification de tout circuit. C'est dangereux.
2. Débrancher le récepteur avant toute réparation.



VERIFICATIONS CONTRE L'INCEN-DIE ET LE CHOC ELECTRIQUE


Avant de rendre le récepteur à l'utilisateur, effectuer les vérifications suivantes.

1. Inspecter tous les faisceaux de câbles pour s'assurer que les fils ne soient pas pincés ou qu'un outil ne soit pas placé entre le châssis et les autres pièces métalliques du récepteur.
2. Inspecter tous les dispositifs de protection comme les boutons de commande non-métalliques, les isolants, le dos du coffret, les couvercles ou blindages de réglage et de compartiment, les réseaux de résistance-capacité, les isolateurs mécaniques, etc.
3. S'assurer qu'il n'y ait pas de danger d'électrocution en vérifiant la fuite de courant, de la façon suivante:
 - Brancher le cordon d'alimentation directement à une prise de courant de 110-240V. (Ne pas utiliser de transformateur d'isolation pour cet essai).
 - A l'aide de deux fils à pinces, brancher une résistance de 50 kohm 10 watts en parallèle avec un condensateur de 0,15µF en série avec toutes les pièces métalliques exposées du coffret et une terre connue comme une

conduite électrique ou une prise de terre branchée à la terre.

- Utiliser un voltmètre CA d'une sensibilité d'au moins 5000ohm/V pour mesurer la chute de tension en travers de la résistance.
- Toucher avec la sonde d'essai les pièces métalliques exposées qui présentent une voie de retour au châssis (antenne, coffret métallique, tête des vis, arbres de commande et des boutons, écusson, etc.) et mesurer la chute de tension CA en-travers de la résistance. Toutes les vérifications doivent être refaites après avoir inversé la fiche du cordon d'alimentation. (Si nécessaire, une prise d'adpatation non polarisée peut être utilisée dans le but de terminer ces vérifications.) Tous les courants mesurés ne doivent pas dépasser 0,5 mA.

Dans le cas contraire, il y a une possibilité de choc électrique qui doit être supprimée avant de rendre le récepteur au client.



AVIS POUR LA SECURITE

De nombreuses pièces, électriques et mécaniques, dans les téléviseurs présentent des caractéristiques spéciales relatives à la sécurité, qui ne sont souvent pas évidentes à vue. Le degré de protection ne peut pas être nécessairement augmentée en utilisant des pièces de remplacement étalonnées pour haute tension, puissance, etc.

Les pièces de remplacement qui présentent ces caractéristiques sont identifiées dans ce manuel; les pièces électriques qui présentent ces particularités sont

identifiées par la marque " ⚠ " et hachurées dans la liste des pièces de remplacement et les diagrammes schématiques.

Pour assurer la protection, ces pièces doivent être identiques à celles utilisées dans le circuit d'origine. L'utilisation de pièces qui n'ont pas les mêmes caractéristiques que les pièces recommandées par l'usine, indiquées dans ce manuel, peut provoquer des électrocutions, incendies, radiations X ou autres accidents.

Precautions for using lead-free solder

1 Employing lead-free solder

"Digital PWB" of this model employs lead-free solder. The LF symbol indicates lead-free solder, and is attached on the PWBs and service manuals. The alphabetical character following LF shows the type of lead-free solder.

Example:

LFa

Sn-Ag-Cu

Indicates lead-free solder of tin, silver and copper.

2 Using lead-free wire solder

When fixing the PWB soldered with the lead-free solder, apply lead-free wire solder. Repairing with conventional lead wire solder may cause damage or accident due to cracks.

As the melting point of lead-free solder (Sn-Ag-Cu) is higher than the lead wire solder by 40°C, we recommend you to use a dedicated soldering bit, if you are not familiar with how to obtain lead-free wire solder or soldening bit, contact our service station or service ranch in your area.

3 Soldering

As the melting point of lead-free solder (Sn-Ag-Cu) is about 220°C which is higher than the conventional lead solder by 40°C, and as it has poor solder wettability, you may be apt to keep the soldering bit in contact with the PWB for extended period of time. However, Since the land may be peeled off or the maximum heat-resistance temperature of parts may be excooded, remove the bit from the PWB as soon as you conurn the steady soldering condition.

Lead-free solder contains more tin, and the end of the soldering bit may be easily corroded. Make sure to tum on and off the power of the bit as required.

if a different type of solder stays on the tip of the soldering bit, it is alloyed with lead-free solder. Clean the bit after every use of it.

When the tip of the soldering bit is blackened during use, file it with steel wool or fine sandpaper.

Be careful when replacing parts with polarity indication on the PWB silk.

Lead-free wire solder for servicing

Part No,	★	Description	Code
ZHNDai123250E	J	φ0.3mm 250g(1roll)	BL
ZHNDai126500E	J	φ0.6mm 500g(1roll)	BK
ZHNDai12801KE	J	φ1.0mm 1kg(1roll)	BM

Specifications




Items		Model	LC-20B1U
LCD panel			19.7" Advanced Super View & BLACK TFT LCD
Number of dots			921,600 dots VGA
Video color systems			N358, N443, PAL, PAL-M, PAL-N, SECAM, PAL-60
TV function	Destination		USA/Latin A/Twn
	TV Standard (CCIR)		NTSC/PAL-M/PAL-N
	TV Tuning System		PLL 181 ch.
	STEREO		MTS+SAP
	CATV		125 ch.
3 Dimensional Y/C separation circuit			Yes (N358 only)
Digital comb filter			Yes
Brightness			430 cd/m ²
Lamp life			60,000 hours
Viewing angles			H: 170° V: 170°
Audio amplifier			2.5 W × 2
Speakers			ø 2 in. (5 cm), 2 pcs.
Terminals	AV1		AV-IN1, S-VIDEO-IN
	AV2		AV-IN2/AV-OUT
	COMPONENT		COMPONENT-IN, AUDIO-IN
	Antenna		F-Type
	Headphone		Mini-jack for stereo (3.5 ø)
	PC Card slot		PC Card Type II (PC card adapter)
Image File Format			JPEG files complying with DCF format
OSD language			English/French/Spanish
Power consumption			AC 67 W (with AC adapter), DC 58 W (DC 13 V)
Power supply			DC 13 V, AC 110- 240 V, 50/60 Hz
Weight			19 lbs (8.6 kg), w/o accessories
Accessories			Remote control, Batteries, Antenna cable, AC adapter, AC cord, Cable clamps
Enviromental conditions			0-40°C

As a part of policy of continuous improvement, SHARP reserves the right to make design and specification changes for product improvement without prior notice. The performance specification figures indicated are nominal values of production units. There may be some deviations from these values in individual units.



Specifications are subject to change without notice.

Operation Manual

Main unit (rear view)



Main unit (front view)



To change the vertical angle of the LCD TV set, tilt the screen up to 5 degrees forward or 10 degrees backward. The TV set can also be rotated 50 degrees horizontally. Please adjust the angle so that the TV set can be watched most comfortably.

SLEEP indicator
The SLEEP indicator lights up red when the SLEEP TIMER is set to on.


POWER indicator
A green indicator lights when the power is on and a red indicator lights when in the standby mode (the indicator will not light when the main power is off).

Remote sensor window
(The actual location is not visible.)

Note
TV/VIDEO, CH (V)/(A), VOL ()/(+), and MENU on the main unit have the same functions as the same buttons on the remote control. Fundamentally, this operation manual provides a description based on operation with the remote control.

Removing the Back Cover


Before connecting a connection cord into the rear terminal, remove the back cover. Push in the tab and pull out the back cover carefully.



To mount the cover, insert the 2 hooks on the bottom of the cover into the cabinet and press on the upper part of the back cover until the tab locks in place with a click.


Listening with Headphones

Plug the headphone mini-plug into the HEADPHONE jack located on the rear of the TV set.




Note

Headphones are not included in the supplied accessories.
No sound will be heard from the main unit speakers when a headphone mini-plug is connected into the HEADPHONE jack.




- *1 Displays the receiving channel for 10 seconds.
- *2 Turns on CARD mode to play back a memory card.
- *3 Returns to the previous channel.
- *4 Selects audio settings.

Dimensions




REMOVING OF MAJOR PARTS

1. Remove the two back covers.
2. Remove the table stand fixing screws (4 pcs.).
3. Rear cabinet is detached opening some rear cabinet and shifting to a PC card slot side, where a card release button is pushed in.
4. Remove the reinforcement angle fixing screws (4 pcs.).
5. Remove the PC card unit.
 - 5-1. Detach the connector.
 - 5-2. Remove the PC card frame angle fixing screws (2 pcs.).
 - 5-3. Remove the ground cable fixing screws (3 pcs.).
6. Detach the connector from each PWB.




7. Remove the digital PWB fixing screws (1 pcs.).
8. Remove the inverter-A PWB fixing screws (2 pcs.).
9. Remove the inverter-B PWB fixing screws (1 pc.).
10. Undo the hooks and slide the chassis frame cover out of position.
11. Remove the analog PWB fixing screws (3 pcs.).
12. Remove the RC/LED PWB fixing screws (2 pcs.).
13. Remove the control PWB fixing screws (2pcs.).




- Precautions in handling the LCD panels
 1. Work in a clean room (with humidities below 50%).
 2. Be sure to wear an anti-static armband.
 3. Handle the panels on an electroconductive mat.
 4. Be careful not to fall, shake and shock the panels.

14. Remove the four screws and open the LCD display unit.
15. Remove the ITO earth angle fixing screw (1 pcs.).
16. Detach the reflection/deflection, prism, diffusion, ITO sheets and diffusion plate.
17. Remove the lamp holder fixing screws (6 pcs.).
18. Detach the lamp set A/B.
19. Remove the reflection plate fixing screws (6 pcs.).



Notes at the time of the side B(back) service of a digital unit

1. Remove PC card slot attachment angle fixed screws(2 pcs.).
2. Remove the FFC from a PC card unit.
3. Remove the grounding cable fixed screws(2 pcs.).
4. Remove the FFC for connection between digital unit (SC2001) and analog unit (SC3403), and connect the extension FFC for service(QCNW-A324WJZZ).
5. Remove the cable for connection between digital unit (P2004) and analog unit (P3702), and connect the extended cable for service(QCNW-A323WJZZ).
6. Remove the chassis frame fixed screws(4 pcs.), it shifts to right-hand side, and remove the double-sided tape (for digital unit (SC1203) - LCD panel connection FFC fixation) under a chassis frame.
7. Remove the RC/LED unit.
 - 7-1. Open a wire holder.
 - 7-2. Remove the RC/LED unit fixed screws(2 pcs.).
8. Remove the digital unit fixed screw(1 pc.), a substrate is reversed.



ADJUSTING PROCEDURE OF EACH SECTION

The best adjustment is made before shipping. If any position deviation is found or after part replace is performed, adjust as follows.

1. Preparation for Adjustments

(1) Use the exclusive-use AC adapter or stable DC power supply.

AC adapter: UADP-0243CEPZ

DC power supply: $13 \pm 0.5V$

2. Special mode setting procedure

(1) After initialization of E²PROM the mode is changed to the adjustment mode.

[Procedure]

Connect TP2001 and TP2002 to GND, and turn on the power.

[Description]

- The initialization of microprocessor is as follows.
- AV position, DAC data, G/A data, sound processor data, and video chroma data adjustment values are taken as defaults.

(2) Adjustment mode

[Procedure]

Short-circuit TP2001 to GND, and turn on the power.

Or short-circuit TP2002 to GND, and turn on the power.

Or holding down the [TV/VIDEO] key and [MENU] key, turn on the main power, and simultaneously press the (inspection process) [CH ▼] key and [VOL–] key to change the mode to the adjustment mode.

[Description]

The manual adjustment or adjustment through communication with the automatic machine is performed.

(3) Shipping setting mode

[Procedure]

Holding down the [TV/VIDEO] key and [MENU] key, turn on the main power, and simultaneously press the (inspection process) [CH ▲] key and [VOL+] key to change the mode to the shipping setting mode.

Note: Keep it in mind to turn off the power immediately. If any key-in is accidentally made, the setting will be canceled.

[Description]


User adjustment and other values are taken as defaults.

If TV is indicated as SETTING COMPLETE, setting has been completed.

3. Cancel of special mode

Turn off the main unit power.

4. Adjustments

	Adjustment	Adjusting conditions	Adjusting method
1	B+ Adjustment (R3760)	1. Connect the DC voltmeter to pin 2 of P3702.	1. Adjust the "B+ Adj" value to $5.0 \pm 0.02V$ with R3760. Make exact adjustment of the 5.00 V level because it will be the reference for all the other supply voltages. Be sure to make this adjustment together with the main PWB (digital PWB). During the adjustment, be also careful not to allow the voltage at pin (2) of P3702 to go above 5.3 V.
2	Inch Size setup (If E ² PROM is replaced) (IC2004)	1. Go to the adjustment mode.	1. Select "INCH SIZE" and adjust to "20" with [VOL+] or [VOL-] key. * The color of "INCH SIZE" must be yellow.
3	Common-bias adjustment	1. Receive a B/W channel. 2. Go to the adjustment mode. 3. Select the "COM BIAS" with [MENU] key.	1. Adjust "COM BIAS" to the darkest screen with [VOL+] and [VOL-] key. * The color of "COM BIAS" must be yellow.
4	TAMP adjustment	<p>1. Receive a half color bar signal in the TV mode so that the top left zone should turn white 75% as shown below. Other signal can be fed instead of the half color bar signal, however, if the point at the vertical 180th line and horizontal 46th pixel is of white 75%. (Make the adjustment based on the setting of this point.)</p> <p>2. Adjust the "NTSC TAMP" setting on page 2 of adjustment process mode so that the "Y" reading on the same page should be BB - CA.</p> <p>3. Make the same setting for the PAL-M TAMP and PAL-N TAMP data.</p>	 <p>White 75% at top left zone</p> <p>Vertical 180th line and horizontal 46th pixel</p> <p>640 pixels</p> <p>480 lines</p> <p>Page 2 of adjustment process mode</p> <pre> 2 ▶ COM BIAS 90 NTSC TAMP 20 PAL-M TAMP 20 PAL-N TAMP 20 RCUTOFF -1 GCUTOFF 0 BCUTOFF -1 G3 B3 R3 00 00 G1 B4 Y EF C7 TAMP H C2 TAMP L CA BB GAIBU VER0.000 </pre> <p>"Y" data (white 75%)</p>
5	White balance adjustment	<p>1. Receive the monoscope pattern signal.</p> <p>2. Adjust the "RCUTOFF" and "BCUTOFF" settings on page 2 of adjustment process mode to achieve an optimum white balance.</p>	1. Do not change the "GCUTOFF" setting because otherwise the black level may fluctuate.

5. Shipping setting list

Channel	2ch
Air/Cable	Air
Skip Data_CATV	All Skip
Skip Data_AIR	All Skip
Volume	20
Picture	30
Tint	0
Color	0
Black Level	0
SHARPNESS	0
RED-BLUE	0
GREEN	0
TV Color System	N358
AV Color System	N358
Language	English
Blue Screen	Off
EZ Setup Auto Start	On
Sleep Timer	None
MTS	Stereo
Brightness	Bright
Auto Power Off	Off
Upside	Normal
Right/Left	Normal
AV2 IN/OUT	In
Closed Caption (Mode)	OFF
(Data)	CH1
V Chip block (MPAA)	None
(TV Guideline)	None
(Block Content)	All Unblock
(Status)	Off
(Input Secret No.)	Clear
CARD Last Card Mode	CARD
SLIDE SHOW SETTING INTERVAL	5SEC
ORDER TO SHOW	NORMAL
REPEAT	OFF
MY PROGRAM SET PROGRAM	NONE
SOUND SETTING TV	—(OFF)
AV1	—(OFF)
AV2	—(OFF)
COMPONENT	—(OFF)

Test patterns in adjustment process mode


[1] IC801 (Video decoder) test patterns

1-1. Getting the test patterns displayed

Put the screen in AV1, AV2 or COMPONENT but keep out any signal. Call the adjustment process mode, select "TEST PATTERN" in the 3rd line of page 7, make the settings 1 thru 6, and the following test patterns show up.

1-2. Test patterns

● Setting 1




The color bars are displayed as shown at left.

● Setting 2

Finer vertical stripes than Setting 1 are displayed.

● Setting 3



The green pattern is displayed as shown at left.

● Setting 4

A rather dark green-only pattern is displayed.

● Setting 5

A half-tone green-only pattern is displayed.

● Setting 6

A rather bright green-only pattern is displayed.

[2] IC1201 (LCD controller) test pattern

2-1. Getting the test pattern displayed

Put the screen in AV1, AV2 or COMPONENT but keep out any signal. Call the adjustment process mode, select "G/A TEST PATTERN" in the 13th line of page 16, turn on the setting, and the following test pattern shows up.

2-2. Test pattern

The following test pattern appears.

	Dark	Gray scale		Bright	Dark
	Dark	Red		Bright	Dark
	Dark	Green		Bright	Dark
	Dark	Blue		Bright	Dark
White	Black 0-level gradation	Gray 16-level gradation	Gray 32-level gradation	Gray 48-level gradation	White 63-level gradation

Note: When the IC801 and IC1201 test pattern display commands are both turned on at the same time, the IC1201 test pattern is given priority.

Pin functions of microprocessor IC (IC2001) RH-iXA276WJZZQ

No.	Pin name	Function	No.	Pin name	Function
1	V HOLD	Closed caption	51	REQ	Adjustment process
2	HLF	Closed caption	52	AV/SY/DY2	US CCD input select
3	MAIN SW	Main switch ON[H]/OFF[L]	53	FSMUTE	Front mute
4	TIMELED	Off timer LED light-up	54	RSMUTE	Rear mute
5	M/S OUT	Sub-microprocessor master/slave output	55	HPDET	Headphone detect at "L" level
6	CSYNC	Composite sync signal	56	SSTBY	Speaker standby (at "H" level)
7	IREMI	Remote control	57	VSH IN	Panel gate driver voltage check
8	GND	Grounding	58	LMUTE	Line out audio mute
9	GND	Grounding	59	V IN/OUT	Video input/output select
10	XCIN	32kHz oscillation input	60	SRESET	Multiplex reset at "L" level
11	XOUT	32kHz oscillation output	61	DENKA	Electric charge prevention
12	RESET	Reset at "L" level	62	VCC	Power
13	XOUT	Microprocessor oscillator connection	63	CARDPOW	Card (ON/OFF)
14	GND	Grounding	64	VSS	Grounding
15	XIN	Microprocessor oscillator connection	65	TV/AV1	Analog switch 1
16	VCC	Power	66	AV/AV2	Analog switch 2
17	OSCIN	OSD clock input	67	VIS/3DS	Analog switch 3
18	OSCOU	OSD clock output	68	AV1/VISY	Analog switch 4
19	PSWIN	Main power input	69	AV/SY/DY1	US CCD input select 2
20	SUBREADY	Sub-microprocessor ready input	70	STD	Microprocessor power off output
21	BLK	OSD blanking output	71	PMUTE	P mute
22			72	POWOUT	DC/DC control output
23	DAC1CS	DAC1 chip select	73	AD POW	Adaptor ON/OFF input
24	DAC2CS	DAC2 chip select	74	IREM 2	Reception at slave
25	D SW	D terminal connection detect	75	MPRCS	G/A read enable
26	DTV	D terminal control line	76	MPRDA	G/A data input
27	MRDY	I ² C bus open/closed select input	77	MPCS	G/A chip select
28	SCL2	I ² C bus serial clock line 2	78	MPDA	G/A data output
29	SCL1	I ² C bus serial clock line 1	79	MPCLK	G/A clock
30	SDA1	I ² C bus serial data line 1	80	DDCRESET	Digital decoder reset
31	SDA2	I ² C bus serial data line 2	81	KEY4	Key input 4
32	R	R signal output	82	KEY5	Key input 5
33	G	G signal output	83	CARDRESET	Card reset (at "H" level)
34	B	B signal output	84	SAW SW	Tuner select (at "H" level)
35	SUBD OUT	Sub-microprocessor data output	85	MODE1	Tuner select (at "H" level)
36	SUBDIN	Sub-microprocessor data input	86	MODE2	Tuner select (at "H" level)
37	SUBCLK	Sub-microprocessor clock input	87	SSYSTEM	S system switching detect
38			88	SSW	S terminal connect input at "L" level
39	MRDY OUT	I ² C bus open/closed output	89	AFT	AFT voltage input
40	FCH	No-signal field ID signal output	90	AGC	AGC voltage input
41	IREM OUT	Not used	91	KEY1	Key input 1
42	L_ERR	Fluorescent lamp error detect input	92	KEY2	Key input 2
43	S IN/OUT	Audio input/output select	93	KEY3	Key input 3
44	N443	"H" for N443, "L" for others	94	POWIN	DC/DC start-up detect
45	PAL	"H" for PAL, "L" for others	95	VSYSN	OSD vertical sync signal
46	SECAM	"H" for SECAM, "L" for others	96	AVSS	Analog power input (GND)
47	PAL_M	"H" for PAL-M, "L" for others	97	HSYSN	OSD vertical sync signal
48	N358	"H" for N358, "L" for others	98	TVSETB	Closed caption (GND)
49	PXOE	Card (Card mode at "L" level)	99	AVCC	OSD power input
50	VSH OUT	Panel gate driver voltage control	100	CVIN	Closed caption signal input

Adjustment process mode menus at a glance

Page	Item	Initial setting	Function	Adjust/modify
------	------	-----------------	----------	---------------

Basic settings

1	INCH SIZE	20	Inch size select	Adjustment
	MODEL	B1U	Model number	
	CARD	ON		
	SYSTEM	N358	Color system select	
	NTSC PWN FREQ	OCO	Dimmer frequency setting	
	PAL PWM FREQ	OBD	Dimmer frequency setting	
	NTSC PWM DUTY	0	Dimmer duty setting	
	PAL PWM DUTY	0	Dimmer duty setting	
	TV GAIN	OFF	Auto gain setting in TV mode	
	ERROR NO RESET	0	Lamp error count & reset	No. of lamp error detections
	V-CHIP	1	VCHIP line mute setting	
	CANADIAN VCHIP	OFF	Canadian VCHIP setting	

Note: Microprocessor's Version is displayed on the bottom of a screen.

Video adjustments

2	COM BIAS	90	Counter bias adjustment	Adjustment
	NTSC TAMP	20	TAMP adjustment	Adjustment
	PAL-M TAMP	20	TAMP adjustment	Adjustment (Same setting as for NTSC TAMP)
	PAL-N TAMP	20	TAMP adjustment	Adjustment (Same setting as for NTSC TAMP)
	RCUTOFF	-1	Red cutoff adjustment	Adjustment
	GCUTOFF	0	Green cutoff adjustment	
	BCUTOFF	-1	Blue cutoff adjustment	Adjustment
	G3	00	Data read value	
	B3	00	Data read value	
	R3	00	Data read value	
	G1	00	Data read value	
	B4	00	Data read value	
	Y	00	Data read value at TAMP adjustment	
	TAMP H	CA	Y upper limit setting at TAMP adjustment	
	TAMP L	BB	Y lower limit setting at TAMP adjustment	
3	TV NTSC CONT	51	Video contrast setting (TV NTSC)	
	TV PAL-M CONT	51	Video contrast setting (TV PAL-M)	
	TV PAL-N CONT	51	Video contrast setting (TV PAL-N)	
	AV N358 CONTRAST	49	Video contrast setting (Composite, S Video)	
	AV PAL CONTRAST	49	Video contrast setting (Composite, S Video)	
	AV SECAM CONTRAST	49	Video contrast setting (Composite, S Video)	
	AV PAL-M CONTRAST	49	Video contrast setting (Composite, S Video)	
	AV PAL-N CONTRAST	49	Video contrast setting (Composite, S Video)	
	AV PAL60 CONTRAST	49	Video contrast setting (Composite, S Video)	
	G3	00	Data read value	
	B3	00	Data read value	
	R3	00	Data read value	
	G1	00	Data read value	
	B4	00	Data read value	
	Y	00	Data read value	

Audio adjustments (MSP settings)

4	TV GEQ BAND1	+0.5	Equalizer setting 1 (TV)	
	TV GEQ BAND2	+0.5	Equalizer setting 2 (TV)	
	TV GEQ BAND3	+1.0	Equalizer setting 3 (TV)	
	TV GEQ BAND4	+0.5	Equalizer setting 4 (TV)	
	TV GEQ BAND5	-1.0	Equalizer setting 5 (TV)	
	EXT GEQ BAND1	+0.5	Equalizer setting 1 (external input)	
	EXT GEQ BAND2	+0.5	Equalizer setting 2 (external input)	
	EXT GEQ BAND3	+1.0	Equalizer setting 3 (external input)	
	EXT GEQ BAND4	+0.5	Equalizer setting 4 (external input)	
	EXT GEQ BAND5	-1.0	Equalizer setting 5 (external input)	
	AVC	OFF	AVC setting	
	CARRIER MUTE	ON	Audio output setting out of sync with TV	
	IGR THR	12D	IGR THRESH LEVEL	
5	MSP DATA	0	Audio IC MSP data write & read	
	MSP DATA	WAIT	Write & read execution	
	PRESCALE FM/AM-M	17	Pre-scale setting (TV)	
	PRESCALE SCART	15	Pre-scale setting (external input)	
	FSP TEST	OFF	Audio test (FS mute ON/OFF)	

Page	Item	Initial setting	Function	Adjust/modify
------	------	-----------------	----------	---------------

Video adjustments (VPC settings)

6	I2C DATA	0	I ² C bus control IC data write & read	
	IC2 DATA	WAIT	Write & read execution	
	CBW	1	Chroma band pass setting	
	NOSEL	3	Comb filter setting	
	DDR	1	Comb filter setting	
	HDG	3	Comb filter setting	
	VDG	0	Comb filter setting	
	VPK	0	Comb filter setting	
	KILVL 08	08	Color killer level setting	
	KILHY 05	05	Color killer hysteresis setting	
	VSUYN DELAY	29	V sync phase setting	
	DVCO	-720	DVCO setting	
	AUTO LCK	1	Line lock mode setting	

Video adjustments (component)

7	VPC DATA	0	Video IC VPC data write & read	
	VPC DATA	WAIT	Write & read execution	
	TEST PATTERN	0	PVC test pattern select	Video IC test pattern
	AUTO LDLY	0	Y/C phase setting	
	DVD NTSC CR	25	Color density setting (component)	
	DVD NTSC CB	25	Color density setting (component)	
	DVD NTSC TINT	+7	Color tone setting (component)	
	DVD NTSC BRIGHTNESS	+68	Brightness setting (component)	
	DVD NTSC CONTRAST	26	Video setting (component)	
	DVD NTSC P FILTER	1	Peaking filter setting (component)	
	DVD NTSC H-PEAKING	3	Picture quality setting (component)	
	DVD NTSC BRIGHT2	+8	Brightness setting 2 (component)	
8	DVD NTSC CONTRAST2	48	Video setting 2 (component)	
	DVD PAL CR	24	Color density setting (component)	
	DVD PAL CB	24	Color density setting (component)	
	DVD PAL TINT	+9	Color tone setting (component)	
	DVD PAL BRIGHTNESS	+68	Brightness setting (component)	
	DVD PAL CONTRAST	26	Video setting (component)	
	DVD PAL P FILTER	1	Peaking filter setting (component)	
	DVD PAL H-PEAKING	4	Picture quality setting (component)	
	DVD PAL BRIGHT2	+8	Brightness setting 2 (component)	
	DVD PAL CONTRAST2	48	Video setting 2 (component)	

Video adjustments (TV, composite & S video)

9	N358 TV COLOR	2500	Color density setting (TV)	
	N358 AV COLOR	2500	Color density setting (composite, S video)	
	N358 TV TINT	+40	Color tone setting (TV)	
	N358 AV TINT	+56	Color tone setting (composite, S video)	
	N358 BRIGHTNESS	+8	Brightness setting (TV, composite, S video)	
	N358 PEAKING FILTER	1	Peaking filter setting (TV, composite, S video)	
	N358 TV H-PEAKING	4	Picture quality setting (TV)	
	N358 AV H-PEAKING	4	Picture quality setting (composite, S video)	
	N358 AVO START	152	Horizontal position setting	
	N358 SFIF	0	Horizontal position setting	
	N358 SCINC1	1623	Roundness setting	
	N358 TV LDLY	0	Y/C phase setting (TV)	
	N358 AV LDLY	0	Y/C phase setting (composite, S video)	
10	N443 AV COLOR	2500	Color density setting (composite, S video)	
	N443 AV TINT	+56	Color tone setting (composite, S video)	
	N443 BRIGHTNESS	+8	Brightness setting (TV, composite, S video)	
	N443 PEAKING FILTER	1	Peaking filter setting (TV, composite, S video)	
	N443 AV H-PEAKING	4	Picture quality setting (composite, S video)	
	N443 AVO START	152	Horizontal position setting	
	N443 SFIF	0	Horizontal position setting	
	N443 SCINC1	1623	Roundness setting	
	N443 AV LDLY	0	Y/C phase setting (composite, S video)	

Page	Item	Initial setting	Function	Adjust/modify
------	------	-----------------	----------	---------------

Video adjustments (TV, composite & S video)

11	PAL AV COLOR	2500	Color density setting (composite, S video)	
	PAL AV TINT	+56	Color tone setting (composite, S video)	
	PAL BRIGHTNESS	+8	Brightness setting (TV, composite, S video)	
	PAL PEAKING FILTER	1	Peaking filter setting (TV, composite, S video)	
	PAL AV H-PEAKING	4	Picture quality setting (composite, S video)	
	PAL AVO START	152	Horizontal position setting	
	PAL SFIF	0	Horizontal position setting	
	PAL SCINC1	1623	Roundness setting	
	PAL AV LDLY	0	Y/C phase setting (composite, S video)	
12	SECAM AV COLOR	2500	Color density setting (composite, S video)	
	SECAM AV TINT	+56	Color tone setting (composite, S video)	
	SECAM BRIGHTNESS	+8	Brightness setting (TV, composite, S video)	
	SECAM PEAKING FILTER	1	Peaking filter setting (TV, composite, S video)	
	SECAM AV H-PEAKING	4	Picture quality setting (composite, S video)	
	SECAM AVO START	152	Horizontal position setting	
	SECAM SFIF	0	Horizontal position setting	
	SECAM SCINC1	1623	Roundness setting	
	SECAM AV LDLY	0	Y/C phase setting (composite, S video)	
13	PAL-M TV COLOR	2500	Color density setting (TV)	
	PAL-M AV COLOR	2500	Color density setting (composite, S video)	
	PAL-M TV TINT	+40	Color tone setting (TV)	
	PAL-M AV TINT	+56	Color tone setting (composite, S video)	
	PAL-M BRIGHTNESS	+8	Brightness setting (TV, composite, S video)	
	PAL-M PEAKING FILTER	1	Peaking filter setting (TV, composite, S video)	
	PAL-M TV H-PEAKING	4	Picture quality setting (TV)	
	PAL-M AV H-PEAKING	4	Picture quality setting (composite, S video)	
	PAL-M AVO START	152	Horizontal position setting	
	PAL-M SFIF	0	Horizontal position setting	
	PAL-M SCINC1	1623	Roundness setting	
	PAL-M TV LDLY	0	Y/C phase setting (TV)	
	PAL-M AV LDLY	0	Y/C phase setting (composite, S video)	
14	PAL-N TV COLOR	2500	Color density setting (TV)	
	PAL-N AV COLOR	2500	Color density setting (composite, S video)	
	PAL-N TV TINT	+40	Color tone setting (TV)	
	PAL-N AV TINT	+56	Color tone setting (composite, S video)	
	PAL-N BRIGHTNESS	+8	Brightness setting (TV, composite, S video)	
	PAL-N PEAKING FILTER	1	Peaking filter setting (TV, composite, S video)	
	PAL-N TV H-PEAKING	4	Picture quality setting (TV)	
	PAL-N AV H-PEAKING	4	Picture quality setting (composite, S video)	
	PAL-N AVO START	152	Horizontal position setting	
	PAL-N SFIF	0	Horizontal position setting	
	PAL-N SCINC1	1623	Roundness setting	
	PAL-N TV LDLY	0	Y/C phase setting (TV)	
	PAL-N AV LDLY	0	Y/C phase setting (composite, S video)	
15	PAL60 AV COLOR	2500	Color density setting (composite, S video)	
	PAL60 AV TINT	+56	Color tone setting (composite, S video)	
	PAL60 BRIGHTNESS	+8	Brightness setting (TV, composite, S video)	
	PAL60 PEAKING FILTER	1	Peaking filter setting (TV, composite, S video)	
	PAL60 AV H-PEAKING	4	Picture quality setting (composite, S video)	
	PAL60 AVO START	152	Horizontal position setting	
	PAL60 SFIF	0	Horizontal position setting	
	PAL60 SCINC1	1623	Roundness setting	
	PAL60 AV LDLY	0	Y/C phase setting (composite, S video)	

Page	Item	Initial setting	Function	Adjust/modify
------	------	-----------------	----------	---------------

Search AFT reference & LCD controller settings

16	AFT UP	2.7	AFT reference voltage	
	AFT DOWN	1.8	AFT reference voltage	
	NTSC 01	8C	Initial settings	
	NTSC 02	C0	Various settings	
	NTSC 03	81	RCUTOFF	
	NTSC 04	00	GCUTOFF	
	NTSC 05	81	BCUTOFF	
	NTSC 06	0C	Horizontal display position	
	NTSC 07	10	Vertical display position	
	NTSC 08	00	UV data phase delay	
	NTSC 09	4C	Panel clock adjustment	
	NTSC 0A	4B	Display screen top/bottom mask position	
	NTSC 10	80	Test pattern display	
	NTSC 11	00	Test pattern data	
	NTSC 12	00	Horizontal display mask (left) position	
	NTSC 13	00	Horizontal display mask (right) position	
	NTSC E0	00	FIFO TEST	
	NTSC E1	03	Sync polarity reversal	
	NTSC F0	07	OFL terminal operation setting	
	NTSC F1	00	Inverter frequency setting	
	NTSC F2	00	Inverter duty setting	
	NTSC F3	C0	Dimmer frequency setting, lower level	
	NTSC F4	00	Dimmer frequency setting, upper level	
	NTSC F5	00	Dimmer PWM setting, lower level	
	NTSC F6	00	Dimmer PWM setting, upper level	
	NTSC F7	00	OFL 1/2 phase	
	NTSC 14	02	System clock setting	
	G/A TEST PATTERN	OFF	Gradation test pattern display	LCD controller IC test pattern
17	PAL 01	8E	Initial settings	
	PAL 02	C8	Various settings	
	PAL 03	81	RCUTOFF	
	PAL 04	00	GCUTOFF	
	PAL 05	81	BCUTOFF	
	PAL 06	14	Horizontal display position	
	PAL 07	18	Vertical display position	
	PAL 08	02	UV data phase delay	
	PAL 09	4C	Panel clock adjustment	
	PAL 0A	4A	Display screen top/bottom mask position	
	PAL 10	80	Test pattern display	
	PAL 11	00	Test pattern data	
	PAL 12	00	Horizontal display mask (left) position	
	PAL 13	00	Horizontal display mask (right) position	
	PAL E0	00	FIFO TEST	
	PAL E1	03	Sync polarity reversal	
	PAL F0	07	OFL terminal operation setting	
	PAL F1	00	Inverter frequency setting	
	PAL F2	00	Inverter duty setting	
	PAL F3	BD	Dimmer frequency setting, lower level	
	PAL F4	00	Dimmer frequency setting, upper level	
	PAL F5	00	Dimmer PWM setting, lower level	
	PAL F6	00	Dimmer PWM setting, upper level	
	PAL F7	00	OFL 1/2 phase	
	PAL 14	02	System clock setting	
	CLOSED CAPTION	15	Closed caption threshold level	
	CCD ISO	16	Closed caption phase setting	
	AIR SEARCH	1.6	Last sync ID frequency at air ON search	

Page	Item	Initial setting	Function	Adjust/modify
------	------	-----------------	----------	---------------

Gradation & COM settings

18	V255	255	Gradation power reference voltage	
	V255 BIAS	127	Gradation power reference voltage	
	V235	222	Gradation power reference voltage	
	V235 BIAS	127	Gradation power reference voltage	
	V176	130	Gradation power reference voltage	
	V176 BIAS	150	Gradation power reference voltage	
	V112	96	Gradation power reference voltage	
	V112 BIAS	170	Gradation power reference voltage	
	V64	65	Gradation power reference voltage	
	V64 BIAS	40	Gradation power reference voltage	
	V32	72	Gradation power reference voltage	
19	V32 BIAS	100	Gradation power reference voltage	
	V21	45	Gradation power reference voltage	
	V21 BIAS	50	Gradation power reference voltage	
	V17	52	Gradation power reference voltage	
	V17 BIAS	145	Gradation power reference voltage	
	V7	27	Gradation power reference voltage	
	V7 BIAS	65	Gradation power reference voltage	
	V0	0	Gradation power reference voltage	
	V0 BIAS	80	Gradation power reference voltage	
	VGL ADJ	27	VGL bias setting	
	VGL COM	215	VGL COM setting	
	COM	179	COM amplitude setting	
	G/A READDATA	00 00	Controller read data setting	
	G/A READDATA	WAIT	Read execution	

3-dimensional settings & sync ID settings

20	3D Y/C	2	3D ON/OFF setting	
	3D Y/C DATA	000000	3D YC data write & read	
	3D Y/C DATA	WAIT	Write & read execution	
	LSYNC	625	Sync ID threshold level (TV)	
	HSYNC	655	Sync ID threshold level (TV)	
	AVSYNC	5000	Sync ID threshold level (external input)	
	VPC FP20H	DATA0000	VPC data read value	
	VPC FP21H	DATA0000	VPC data read value	
	VPC FP13H	DATA0000	VPC data read value	
	MSP DEMO200H	DATA0000	MSP data read value	
	L ERROR WAIT	15s	Lamp error detect wait time	
	L ERROR H TIME	1.0s	Lamp error detect time	
	VPC I2C 20H	24	Sync control setting	

Power off mode / V jitter correspondence / Card settings


21	DENKA PORT	OFF	Power off mode setting	
	DENKA TESTP	00	Power off mode setting	
	DENKA TESTP2	30ms	Power off mode setting	
	CARD FLASH	WAIT	Card side FLASH refresh (Not used)	
	RETRY	1	Card data transmission count setting	
	REMOCON CODE	000	Received remote control code display	

Page	Item	Initial setting	Function	Adjust/modify
------	------	-----------------	----------	---------------

Card mode LCD controller setting


22	VPC SYNC	0D8	Card mode sync setting	
	OSD	-30	Card mode OSD position setting	
	CARD 01	8C	Initial setting	
	CARD 02	C4	Various setting	
	CARD 03	81	RCUTOFF	
	CARD 04	00	GCUTOFF	
	CARD 05	81	BCUTOFF	
	CARD 06	0B	Horizontal display position	
	CARD 07	14	Vertical display position	
	CARD 08	00	UV data phase delay	
	CARD 09	4C	Panel clock adjustment	
	CARD 0A	4B	Display screen top/bottom mask position	
	CARD 10	80	Test pattern display	
	CARD 11	00	Test pattern data	
	CARD 12	00	Horizontal display mask (left) position	
	CARD 13	00	Horizontal display mask (right) position	
	CARD E0	00	FIFO TEST	
	CARD E1	03	Sync. polarity reversal	
	CARD F0	07	OFL terminal operation setting	
	CARD F1	00	Inverter frequency setting	
	CARD F2	00	Inverter duty setting	
	CARD F3	C0	Dimmer frequency setting, lower level	
	CARD F4	00	Dimmer frequency setting, upper level	
	CARD F5	00	Dimmer PWM setting, lower level	
	CARD F6	00	Dimmer PWM setting, upper level	
	CARD F7	00	OFL 1/2 phase	
	CARD 14	03	System clock setting	


TROUBLE SHOOTING TABLE





Note:


This model is equipped with the lamp error detection function that detects the current flowing into the fluorescent lamp and protects the backlight lamp drive circuit. If a lamp error is detected, the microprocessor interrupts the unit and the ERROR NO RESET setting will go up. When the ERROR NO RESET setting has reached "5", the microprocessor turns and keeps off the unit's power. To resume the power, take the above procedure to clear the ERROR NO RESET setting.

















CONTROL UNIT




DIGITAL UNIT




ANALOG UNIT




RC/LED UNIT




INVERTER-A UNIT




INVERTER-B UNIT



BLOCK DIAGRAM





10	11	12	13	14	15	16	17	18	19
----	----	----	----	----	----	----	----	----	----

DESCRIPTION OF SCHEMATIC DIAGRAM

VOLTAGE MEASUREMENT CONDITION:

1. Voltages at test points are measured on exclusive AC adapter or the stable supply voltage of AC 120V. Signals are fed by a color bar signal generator for servicing purpose and the above voltages are measured with a 20k ohm/V tester.

INDICATION OF RESISTOR & CAPACITOR:

RESISTOR

1. The unit of resistance "Ω" is omitted.
(K=kΩ=1000 Ω, M=MΩ).
2. All resistors are ± 5%, unless otherwise noted.
(J= ± 5%, F= ± 1%, D= ± 0.5%)
3. All resistors are 1/10W, unless otherwise noted.
4. All resistors are Carbon type, unless otherwise noted.

©: Solid Ⓜ: Cement
 Ⓢ: Oxide Film Ⓣ: Special
 Ⓝ: Metal Coating

CAPACITOR

1. All capacitors are μF, unless otherwise noted.
(P=pF=μμF).
2. All capacitors are 50V, unless otherwise noted.
3. All capacitors are Ceramic type, unless otherwise noted.
 (ML): Mylar (TA): Tantalum
 (PF): Polypro Film (ST): Styrol

CAUTION:

This circuit diagram is original one, therefore there may be a slight difference from yours.

IMPORTANT SAFETY NOTICE:

PARTS MARKED WITH "⚠" () ARE IMPORTANT FOR MAINTAINING THE SAFETY OF THE SET. BE SURE TO REPLACE THESE PARTS WITH SPECIFIED ONES FOR MAINTAINING THE SAFETY AND PERFORMANCE OF THE SET.


AVIS DE SECURITE IMPORTANT:

*LES PIECES MARQUEES "⚠" () SONT IMPORTANTES POUR MAINTENIR LA SECURITE DE L'APPAREIL.
 NE REMPLACER CES PIECES QUE PAR DES PIECES DONT LE NUMERO EST SPECIFIE POUR MAINTENIR LA SECURITE ET PROTEGER LE BON FONCTIONNEMENT DE L'APPAREIL.*


SCHEMATIC DIAGRAM


■CONTROL and RC/LED Unit

CONTROL



RC/LED





10

11

12

13

14

15

16


17

18

19


A	B	C	D	E	F	G	H
---	---	---	---	---	---	---	---







10	11	12	13	14	15	16	17	18	19
----	----	----	----	----	----	----	----	----	----









H

G

F

E


D

C

B

A







10	11	12	13	14	15	16	17	18	19
----	----	----	----	----	----	----	----	----	----

ANALOG Unit-1/2


ANALOG 1






ANALOG Unit-2/2

ANALOG 2





10

11

12

13

14

15

16

17

18

19



INVERTER-B Unit

H

G

F

E


D

C

B

A


INVERTER B



H
G
F
E
D
C
B
A



CONTROL Unit (Side-B)



DIGITAL Unit (Side-B)

1


2

3


4

5

6




INVERTER-A Unit (Side-A)



INVERTER-B Unit (Side-A)




RC/LED Unit (Side-A)



PARTS LIST

PARTS REPLACEMENT

Replacement parts which have these special safety characteristics identified in this manual; electrical components having such features are identified by  and shaded areas in the Replacement Parts Lists and Schematic Diagrams. The use of a substitute replacement part which does not have the same safety characteristic as the factory recommended replacement parts shown in this service manual may create shock, fire or other hazards.

"HOW TO ORDER REPLACEMENT PARTS"

To have your order filled promptly and correctly, please furnish the following information.

- | | |
|-----------------|----------------|
| 1. MODEL NUMBER | 2. REF. NO. |
| 3. PART NO. | 4. DESCRIPTION |

in **USA**: Contact your nearest SHARP Parts Distributor to order.
For location of SHARP Parts Distributor, Please call Toll-Free; 1-800-BE-SHARP

★ MARK: SPARE PARTS-DELIVERY SECTION

PRINTED WIRING BOARD ASSEMBLIES (NOT REPLACEMENT ITEM)

DUNTKA670FE24	—	DIGITAL Unit	—
DUNTKB128DE06	—	ANALOG Unit	—
DUNTKB129DE06	—	CONTROL Unit	—
DUNTKB130DE06	—	RC/LED Unit	—
DUNTKB132DE01	—	INVERTER-A Unit	—
DUNTKB133DE01	—	INVERTER-B Unit	—
DUNTKB021CEN1	J	PC CARD Unit (Unit Replacement)	CB

LCD PANEL

RLCDA014WJZZ	J	20" LCD Panel Unit	DT
--------------	---	--------------------	----


DUNTKA670FE24 DIGITAL UNIT

INTEGRATED CIRCUITS

IC401	VHiBA7046F/-1	J	BA7046F	AF
IC402	VHiNJM2235V-1	J	NJM2235V	AE
IC702	VHiBA033FP/-1	J	BA033FP-E2	AG
IC703	VHiPQ20VZ11-1	J	PQ20VZ11	AH
IC801	VHiVPC3230D1EQ	J	VPC3230D-QA-B3	BD
IC901	VHiPQ1CZ21H-1Y	J	PQ1CZ21H2ZP	AH
IC903	VHiVHC541FT-1Y	J	TC74VHC541FT	AK
IC1101	VHiMB8346BV-1	J	MB88346BPFV	AN
IC1102	VHiNJM4565V-1	J	NJM4565V	AF
IC1103	VHiNJM2060V-1	J	NJM2060V	AF
IC1104	VHiNJM2060V-1	J	NJM2060V	AF
IC1105	VHiBU4053V/-1	J	BU4053BCFV-E2	AE
IC1106	VHiNJM4580V-1	J	NJM4580V	AE
IC1107	VHiNJM4580V-1	J	NJM4580V	AE

LISTE DES PIECES

CHANGE DES PIECES

Les pièces de rechange qui présentent ces caractéristiques spéciales de sécurité, sont identifiées dans ce manuel : les pièces électriques qui présentent ces particularités, sont représentées par la marque  et sont hachurées dans les listes de pièces et dans les diagrammes schématisés.

La substitution d'une pièce de rechange par une autre qui ne présente pas les mêmes caractéristiques de sécurité que la pièce recommandée par l'usine et dans ce manuel de service, peut provoquer une électrocution, un incendie ou tout autre sinistre.

"COMMENT COMMANDER LES PIECES DE RECHANGE"

Pour que votre commande soit rapidement et correctement remplie, veuillez fournir les renseignements suivants.

- | | |
|---------------------|----------------|
| 1. NUMERO DU MODELE | 2. NO. DE REF |
| 3. NO. DE PIECE | 4. DESCRIPTION |

in **CANADA**: Contact SHARP Electronics of Canada Limited
Phone (416) 890-2100

★MARQUE: SECTION LIVRAISON DES PIECES DE RECHANGE

Ref. No.	Part No.	★	Description	Code
IC1108	VHiNJM4580V-1	J	NJM4580V	AE
IC1109	VHiNJM353M/-1	J	NJM353M	AG
IC1110	VHiBU4053V/-1	J	BU4053BCFV-E2	AE
IC1111	VHiMB8346BV-1	J	MB88346BPFV	AN
IC1112	VHiBU4053V/-1	J	BU4053BCFV-E2	AE
IC1113	VHiBU4053V/-1	J	BU4053BCFV-E2	AE
IC1114	VHiNJM4580V-1	J	NJM4580V	AE
IC1115	VHiNJM4580V-1	J	NJM4580V	AE
IC1116	VHiNJM2147M-1	J	NJM2147M-TE1	AF
IC1201	RH-iX3378CEN1Q	J	LR38815	AY
IC1202	VHiPD485505-2	J	UPD485505G-25	AY
IC1206	VHiLVX125FT-1	J	TC74LVX125FT	AG
IC1207	VHiTC4W66U/-1	J	TC4W66FU	AF
IC1208	VHiPQ1R34+-1Y	J	PQ1R34	AE
IC2001	RH-iXA276WJZZQ	J	M306V0ME-164FP	BA
IC2002	VHiBD4746G+-1Y	J	BD4746G-TR	AD
IC2003	VHiTC4W66U/-1	J	TC4W66FU	AF
IC2004	VHiBR2416E2-1	J	BR24C16F	AK
IC7001	VHiPD64082/-1	J	UPD64082GF-3BA	BC
IC7002	RH-iX3420CEZZ	J	MSM5416258B-28	AT
IC7003	VHiTK15420/-1	J	TK15420MTL	AG
IC7004	VHiPST600IM-1	J	IC-PST600IMT	AE
IC7101	VHiNJM2283F-1	J	NJM2283M	AF
IC7102	VHiPQ05TZ11-1	J	PQ05TZ11	AH
IC7201	VHiMM1031XM-1	J	MM1031XMR	AF
IC7202	VHiNJM2235V-1	J	NJM2235V	AE
IC7701	VHiPQ20VZ11-1	J	PQ20VZ11	AH

TRANSISTORS

Q401	VS2SC3928AR-1	J	2SC3928AR	AB
Q402	VS2SA1037KQ-1	J	2SA1037KQ	AA
Q711	VS2SA1037KQ-1	J	2SA1037KQ	AA
Q712	VSDTC144EE/-1	J	DTC144EE	AA
Q1101	VS2SA1729//-1	J	2SA1729	AF
Q1102	VS2SC4520//-1	J	2SC4520	AE
Q1103	VS2SA1036K/-1	J	2SA1036K	AC
Q1104	VS2SA1036K/-1	J	2SA1036K	AC
Q1105	VS2SA1036K/-1	J	2SA1036K	AC
Q1106	VSFMMT718//-1	J	FMMT718	AE
Q1107	VSDTC144EE/-1	J	DTC144EE	AA
Q1108	VS2SC4520//-1	J	2SC4520	AE
Q1109	VS2SA1729//-1	J	2SA1729	AF
Q1201	VSDTC144EE/-1	J	DTC144EE	AA

Ref. No.	Part No.	★	Description	Code	Ref. No.	Part No.	★	Description	Code
DUNTKA670FE24									
DIGITAL UNIT (Continued)									
Q1203	VS2SA1037KQ-1	J	DTC144EE	AA	C402	VCKYCY1HB102K	J	1000p 50V Ceramic	AA
Q1204	VS2SA1037KQ-1	J	2SA1037KQ	AA	C403	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
Q1205	VSUMX2N++++-1Y	J	UMX2N++++	AB	C404	VCEASM0JW476MY	J	47 6.3V Electrolytic	AC
Q2004	VS2SA1037KQ-1	J	DTC144EE	AB	C405	VCKYCY1HB222K	J	2200p 50V Ceramic	AA
Q2007	VS2SA1037KQ-1	J	DTC144EE	AA	C406	VCKYTV1AB105K	J	1 10V Ceramic	AD
Q7001	VS2SA1037KQ-1	J	2SA1037KQ	AA	C407	VCCCCY1HH101J	J	100p 50V Ceramic	AA
Q7002	VS2SA1037KQ-1	J	2SA1037KQ	AA	C408	VCKYTV1AB105K	J	1 10V Ceramic	AD
Q7003	VS2SA1037KQ-1	J	2SA1037KQ	AA	C409	VCKYTV1AB105K	J	1 10V Ceramic	AD
Q7004	VS2SA1037KQ-1	J	2SA1037KQ	AA	C410	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
Q7005	VS2SA1037KQ-1	J	2SA1037KQ	AA	C411	VCKYTV1AB105K	J	1 10V Ceramic	AD
Q7006	VS2SA1037KQ-1	J	2SA1037KQ	AA	C701	VCKYTV1CF105Z	J	1 16V Ceramic	AB
Q7007	VS2SA1037KQ-1	J	2SA1037KQ	AA	C702	VCEASM1CN226MY	J	22 16V Electrolytic	AD
Q7008	VS2SA1037KQ-1	J	2SA1037KQ	AA	C703	VCKYTV1CF105Z	J	1 16V Ceramic	AB
Q7009	VS2SA1037KQ-1	J	2SA1037KQ	AA	C705	VCKYCY1CF334Z	J	0.33 16V Ceramic	AA
Q7010	VS2SA1037KQ-1	J	2SA1037KQ	AA	C706	VCEASM0JN226MY	J	22 6.3V Electrolytic	AC
Q7101	VS2SC3928AR-1	J	2SC3928AR	AB	C711	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
Q7102	VS2SC3928AR-1	J	2SC3928AR	AB	C801	VCEASM1CN106MY	J	10 16V Electrolytic	AC
DIODES					C802	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
D701	VHDDAN202K/-1	J	Diode	AB	C803	VCCCCY1HH7R0D	J	7p 50V Ceramic	AA
D901	VHDDAN222/-1	J	Diode	AA	C804	VCCCCY1HH7R0D	J	7p 50V Ceramic	AA
D902	VHDSFPB74//2E	J	Diode	AD	C805	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
D1101	VHD1SS250//1E	J	Diode	AB	C806	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
D1106	VHDDAN222/-1	J	Diode	AA	C807	VCKYCY1HB331K	J	330p 50V Ceramic	AA
D1107	VHD1SS250//1E	J	Diode	AB	C808	VCKYCY1HB331K	J	330p 50V Ceramic	AA
D1108	VHDDAN222/-1	J	Diode	AA	C809	VCEASM1CN107MY	J	100 16V Electrolytic	AD
D1109	VHDDAN222/-1	J	Diode	AA	C810	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
D1110	VHDDAN222/-1	J	Diode	AA	C811	VCKYCY1HB331K	J	330p 50V Ceramic	AA
D1201	VHD1SS250//1E	J	Diode	AB	C812	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
D1203	VHDB491D++-1Y	J	Diode	AD	C813	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
D1205	VHDDAN222/-1	J	Diode	AA	C814	VCKYCY1HB102K	J	1000p 50V Ceramic	AA
D1206	RH-EX0227CEZZY	J	Zener Diode	AB	C815	VCKYTV1CF684Z	J	0.68 16V Ceramic	AB
D1208	VHDDAN222/-1	J	Diode	AA	C816	VCKYTV1CF684Z	J	0.68 16V Ceramic	AB
D1209	RH-EX1247CEZZY	J	Zener Diode	AB	C817	VCKYTV1CF684Z	J	0.68 16V Ceramic	AB
D1210	VHDDAN222/-1	J	Diode	AA	C818	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
D1211	VHDDAN222/-1	J	Diode	AA	C819	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
D1212	VHDB491D++-1Y	J	Diode	AD	C820	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
D2002	VHDB491D++-1Y	J	Diode	AD	C821	VCEASM1CN107MY	J	100 16V Electrolytic	AD
D2004	RH-DX0061GEZZ	J	Diode	AC	C822	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
D7701	VHDDAN202K/-1	J	Diode	AB	C823	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
PACKAGED CIRCUITS					C824	VCKYCY1AB224K	J	0.22 10V Ceramic	AB
X801	RCRSC0012CEZZ	J	Crystal	AH	C825	VCKYCY1AB224K	J	0.22 10V Ceramic	AB
X2002	RFILZ0169TAZZY	J	Filter	AD	C826	VCEASM0GW227MY	J	220 4V Electrolytic	AC
X7001	RCRSB0258CEZZ	J	Crystal	AG	C827	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
FILTERS AND COILS					C828	VCKYCY1AB224K	J	0.22 10V Ceramic	AB
FL7001	RCiLF0306CEZZ	J	Coil	AH	C830	VCKYCY1CF224Z	J	0.22 16V Ceramic	AA
FL7002	RCiLV0108GEZZ	J	Coil	AG	C831	VCKYCY1CF224Z	J	0.22 16V Ceramic	AA
FL7003	RFILN0097GEZZ	J	Filter	AF	C832	VCKYCY1CF224Z	J	0.22 16V Ceramic	AA
FL7004	RFILN0097GEZZ	J	Filter	AF	C834	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
FL7101	RFILN0079GEZZ	J	Filter	AC	C835	VCEASM1CW107MY	J	100 16V Electrolytic	AD
FL7102	RFILN0079GEZZ	J	Filter	AC	C836	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
L801	VP-9N3R3KR46N	J	Peaking 3.3μH	AC	C837	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
L802	VP-9N3R3KR46N	J	Peaking 3.3μH	AC	C838	VCEASM0GW107MY	J	100 4V Electrolytic	AC
L803	VP-9N3R3KR46N	J	Peaking 3.3μH	AC	C839	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
L804	RCiLC0055CEZZ	J	Coil	AD	C840	VCKYTV1CF684Z	J	0.68 16V Ceramic	AB
L805	RCiLC0055CEZZ	J	Coil	AD	C901	VCAAPC1CJ826MY	J	82 16V Electrolytic	AH
L901	RCiLC0055CEZZ	J	Coil	AD	C902	VCEASH0JN337MY	J	330 6.3V Electrolytic	AC
L902	RCiLP0303TAZZ	J	Coil	AG	C903	VCKYCY1CF334Z	J	0.33 16V Ceramic	AA
L1201	VP-1M470J5R4N	J	Peaking 47μH	AC	C905	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
L1202	RCiLC0055CEZZ	J	Coil	AD	C908	VCEASM1CW107MY	J	100 16V Electrolytic	AD
L1203	VP-1M220J2R9N	J	Peaking 22μH	AC	C909	VCKYCY1CF334Z	J	0.33 16V Ceramic	AA
L1204	VP-1M220J2R9N	J	Peaking 22μH	AC	C910	VCAAPC1CJ396MY	J	39 16V Electrolytic	AG
L1205	VP-1M220J2R9N	J	Peaking 22μH	AC	C1101	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
L7001	VP-1M4R7J1R2N	J	Peaking 4.7μH	AB	C1102	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
L7002	VP-1M220J2R9N	J	Peaking 22μH	AC	C1103	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
L7003	VP-1M220J2R9N	J	Peaking 22μH	AC	C1104	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
CAPACITORS					C1105	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C401	VCKYTV1AB105K	J	1 10V Ceramic	AD	C1107	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
					C1108	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
					C1109	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
					C1110	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
					C1111	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
					C1112	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
					C1113	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
					C1114	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
					C1115	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA

Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

DUNTKA670FE24 DIGITAL UNIT (Continued)

C1116	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1117	VCCCCY1HH560J	J 56p	50V Ceramic	AA
C1118	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1119	VCKYTV1CF105Z	J 1	16V Ceramic	AB
C1120	VCKYTV1EF104Z	J 0.1	25V Ceramic	AB
C1122	VCKYTV1CF105Z	J 1	16V Ceramic	AB
C1123	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1124	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1125	VCEASM1CN107MY	J 100	16V Electrolytic	AD
C1126	RC-EZ1339CEZZ	J 220	16V Electrolytic	AD
C1129	RC-EZ1339CEZZ	J 220	16V Electrolytic	AD
C1130	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1131	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1132	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1133	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1134	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1135	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1136	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1137	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1138	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1139	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1141	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1142	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1143	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1144	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1145	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1146	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1147	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1148	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1149	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1150	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1151	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1152	VCCCCY1HH181J	J 180p	50V Ceramic	AA
C1153	VCKYTV1HB103K	J 0.01	50V Ceramic	AA
C1154	VCKYTV1HB103K	J 0.01	50V Ceramic	AA
C1155	VCKYTV1CB334K	J 0.33	16V Ceramic	AC
C1156	VCCCCY1HH560J	J 56p	50V Ceramic	AA
C1157	VCKYTV1CB105K	J 1	16V Ceramic	AC
C1202	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1203	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1204	VCCCCY1HH220J	J 22p	50V Ceramic	AA
C1205	VCCCCY1HH220J	J 22p	50V Ceramic	AA
C1206	VCEASM1HN106MY	J 10	50V Electrolytic	AD
C1207	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1208	VCKYTV1HF104Z	J 0.1	50V Ceramic	AA
C1209	VCEASH0JN227MY	J 220	6.3V Electrolytic	AC
C1210	VCEASM0GW107MY	J 100	4V Electrolytic	AC
C1211	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1212	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1213	VCEASM1CW107MY	J 100	16V Electrolytic	AD
C1214	VCEASM0GW107MY	J 100	4V Electrolytic	AC
C1215	RC-KZ1025CEZZ	J 1	10V Ceramic	AB
C1217	VCEASM1HN475MY	J 4.7	50V Electrolytic	AD
C1218	VCEASM1CN106MY	J 10	16V Electrolytic	AC
C1223	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1224	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1225	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C1226	VCEASM1HN106MY	J 10	50V Electrolytic	AD
C1227	VCKYTV1CB105K	J 1	16V Ceramic	AC
C1228	RC-KZ1025CEZZ	J 1	10V Ceramic	AB
C1229	VCEASM1CN226MY	J 22	16V Electrolytic	AD
C1230	VCKYTV1CB105K	J 1	16V Ceramic	AC
C1231	VCEASM1CN107MY	J 100	16V Electrolytic	AD
C1232	VCKYTV1HF104Z	J 0.1	50V Ceramic	AA
C2001	VCKYCY1HB102K	J 1000p	50V Ceramic	AA
C2002	VCCCCY1HH221J	J 220p	50V Ceramic	AA
C2003	VCKYTV1AB105K	J 1	10V Ceramic	AD
C2007	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C2009	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C2010	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C2015	VCKYCY1HB561K	J 560p	50V Ceramic	AA

Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

C2016	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C2017	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C2018	VCCCCY1HH220J	J 22p	50V Ceramic	AA
C2020	VCKYCY1HB271K	J 270p	50V Ceramic	AA
C2021	VCEASM1CW107MY	J 100	16V Electrolytic	AD
C2023	VCEASM1CN106MY	J 10	16V Electrolytic	AC
C7001	VCCCCY1HH220J	J 22p	50V Ceramic	AA
C7002	VCCCCY1HH220J	J 22p	50V Ceramic	AA
C7003	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7004	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7005	VCEASM1CN106MY	J 10	16V Electrolytic	AC
C7006	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7007	VCCCCY1HH1R0C	J 1p	50V Ceramic	AA
C7008	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7009	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7010	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7012	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7013	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7014	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7015	VCEASM1CN106MY	J 10	16V Electrolytic	AC
C7016	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7017	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7018	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7019	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7020	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7021	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7022	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7023	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7024	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7025	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7026	VCCCCY1HH471J	J 470p	50V Ceramic	AA
C7027	VCKYTV1CF105Z	J 1	16V Ceramic	AB
C7028	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7029	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7030	VCEASK1CN227MY	J 220	16V Electrolytic	AC
C7031	VCEASM1CN106MY	J 10	16V Electrolytic	AC
C7032	VCCCCY1HH101J	J 100p	50V Ceramic	AA
C7033	VCKYCY1HB103K	J 0.01	50V Ceramic	AA
C7035	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7036	VCEASK1CN227MY	J 220	16V Electrolytic	AC
C7037	VCCCCY1HH100D	J 10p	50V Ceramic	AA
C7038	VCCCCY1HH270J	J 27p	50V Ceramic	AA
C7041	VCCCCY1HH120J	J 12p	50V Ceramic	AA
C7042	VCCCCY1HH100D	J 10p	50V Ceramic	AA
C7043	VCCCCY1HH270J	J 27p	50V Ceramic	AA
C7046	VCEASM1CN476MY	J 47	16V Electrolytic	AD
C7047	VCEASM0JN476MY	J 47	6.3V Electrolytic	AD
C7048	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7050	VCCCCY1HH270J	J 27p	50V Ceramic	AA
C7053	VCKYCY1HB103K	J 0.01	50V Ceramic	AA
C7054	VCKYCY1HB103K	J 0.01	50V Ceramic	AA
C7055	VCEASM1CN107MY	J 100	16V Electrolytic	AD
C7056	VCEASM1CN107MY	J 100	16V Electrolytic	AD
C7058	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7059	VCEASM1HN474MY	J 0.47	50V Electrolytic	AC
C7060	VCCCCY1HH391J	J 390p	50V Ceramic	AA
C7061	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7062	VCCCCY1HH120J	J 12p	50V Ceramic	AA
C7072	VCCCCY1HH1R0C	J 1p	50V Ceramic	AA
C7085	VCKYCY1HB103K	J 0.01	50V Ceramic	AA
C7103	VCKYTV1CF105Z	J 1	16V Ceramic	AB
C7104	VCEASM1CN107MY	J 100	16V Electrolytic	AD
C7105	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7106	VCKYTV1CF105Z	J 1	16V Ceramic	AB
C7111	VCCCCY1HH680J	J 68p	50V Ceramic	AA
C7112	VCCCCY1HH330J	J 33p	50V Ceramic	AA
C7121	VCKYTV1CF105Z	J 1	16V Ceramic	AB
C7122	VCEASM1CN107MY	J 100	16V Electrolytic	AD
C7123	VCEASM1CW106MY	J 10	16V Electrolytic	AC
C7124	VCEASM1CW106MY	J 10	16V Electrolytic	AC
C7201	VCKYTV1AB105K	J 1	10V Ceramic	AD
C7202	VCKYTV1AB105K	J 1	10V Ceramic	AD
C7203	VCKYTV1AB105K	J 1	10V Ceramic	AD
C7204	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA
C7205	VCKYTV1AB105K	J 1	10V Ceramic	AD

Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

DUNTKA670FE24 DIGITAL UNIT (Continued)

C7701	VCEASM0JN476MY	J 47	6.3V Electrolytic	AD
C7702	VCKYCY1EF104Z	J 0.1	25V Ceramic	AA

RESISTORS

R401	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R402	VRS-CY1JF333J	J 33k	1/16W Metal Oxide	AA
R403	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA
R404	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R405	VRS-CY1JF562J	J 5.6k	1/16W Metal Oxide	AA
R406	VRS-CY1JF332J	J 3.3k	1/16W Metal Oxide	AA
R408	VRS-CY1JF332J	J 3.3k	1/16W Metal Oxide	AA
R409	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA
R410	VRS-CY1JF474J	J 470k	1/16W Metal Oxide	AA
R412	VRS-CY1JF562J	J 5.6k	1/16W Metal Oxide	AA
R413	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R414	VRS-CY1JF105J	J 1M	1/16W Metal Oxide	AA
R415	VRS-CY1JF105J	J 1M	1/16W Metal Oxide	AA
R416	VRS-CY1JF105J	J 1M	1/16W Metal Oxide	AA
R417	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R418	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R419	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R420	VRS-TV1JD000J	J 0	1/10W Metal Oxide	AA
R421	VRS-TV1JD000J	J 0	1/10W Metal Oxide	AA
R423	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R705	VRS-CY1JF1R0J	J 1	1/16W Metal Oxide	AA
R711	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA
R712	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA
R714	VRS-CY1JF1R0J	J 1	1/16W Metal Oxide	AA
R715	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA
R716	VRS-CY1JF102J	J 1k	1/16W Metal Oxide	AA
R717	VRS-CY1JF332J	J 3.3k	1/16W Metal Oxide	AA
R726	VRS-CY1JF1R0J	J 1	1/16W Metal Oxide	AA
R801	VRS-CB1JF221J	J 220	1/16W Metal Oxide	AC
R802	VRS-CB1JF220J	J 22	1/16W Metal Oxide	AC
R803	VRS-CB1JF220J	J 22	1/16W Metal Oxide	AC
R804	VRS-CA1JF101J	J 100	1/16W Metal Oxide	AA
R807	VRS-CY1JF750J	J 75	1/16W Metal Oxide	AA
R808	VRS-CY1JF750J	J 75	1/16W Metal Oxide	AA
R809	VRS-CY1JF750J	J 75	1/16W Metal Oxide	AA
R810	VRS-CB1JF220J	J 22	1/16W Metal Oxide	AC
R811	VRS-CY1JF222J	J 2.2k	1/16W Metal Oxide	AA
R812	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R813	VRS-CB1JF220J	J 22	1/16W Metal Oxide	AC
R814	VRS-CY1JF332J	J 3.3k	1/16W Metal Oxide	AA
R815	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R816	VRS-CY1JF470J	J 47	1/16W Metal Oxide	AA
R819	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R826	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R831	VRS-CY1JF102J	J 1k	1/16W Metal Oxide	AA
R832	VRS-CY1JF102J	J 1k	1/16W Metal Oxide	AA
R833	VRS-CY1JF102J	J 1k	1/16W Metal Oxide	AA
R834	VRS-CY1JF102J	J 1k	1/16W Metal Oxide	AA
R836	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R838	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R901	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R902	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R906	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R907	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R909	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R910	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R911	VRS-CY1JF272F	J 2.7k	1/16W Metal Oxide	AA
R912	VRS-CY1JF162F	J 1.6k	1/16W Metal Oxide	AA
R913	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R914	VRS-CY1JF222J	J 2.2k	1/16W Metal Oxide	AA
R915	VRS-CY1JF332J	J 3.3k	1/16W Metal Oxide	AA
R916	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R917	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R918	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R919	VRS-CY1JF333J	J 33k	1/16W Metal Oxide	AA
R1001	VRS-CY1JF102J	J 1k	1/16W Metal Oxide	AA
R1002	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA

Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

R1003	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R1005	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R1006	VRS-CY1JF243F	J 24k	1/16W Metal Oxide	AA
R1007	VRS-CY1JF563F	J 56k	1/16W Metal Oxide	AA
R1008	VRS-CY1JF822F	J 8.2k	1/16W Metal Oxide	AA
R1009	VRS-CY1JF682F	J 6.8k	1/16W Metal Oxide	AA
R1013	VRS-CY1JF101J	J 100	1/16W Metal Oxide	AA
R1014	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA
R1016	VRS-CY1JF103J	J 10k	1/16W Metal Oxide	AA
R1017	VRS-CY1JF272J	J 2.7k	1/16W Metal Oxide	AA
R1019	VRS-CY1JF473J	J 47k	1/16W Metal Oxide	AA
R1020	VRS-CY1JF472J	J 4.7k	1/16W Metal Oxide	AA
R1021	VRS-TW2ED102J	J 1k	1/4W Metal Oxide	AA
R1022	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R1024	VRS-CY1JF123F	J 12k	1/16W Metal Oxide	AA
R1025	VRS-CY1JF123F	J 12k	1/16W Metal Oxide	AA
R1026	VRS-CY1JF123F	J 12k	1/16W Metal Oxide	AA
R1027	VRS-CY1JF123F	J 12k	1/16W Metal Oxide	AA
R1028	VRS-CY1JF123F	J 12k	1/16W Metal Oxide	AA
R1029	VRS-CY1JF123F	J 12k	1/16W Metal Oxide	AA
R1030	VRS-TW2ED150J	J 15	1/4W Metal Oxide	AB
R1031	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R1032	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R1033	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R1034	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R1102	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R1104	VRS-CA1JF333J	J 33k	1/16W Metal Oxide	AA
R1106	VRS-CF1JP333JY	J 33k	1/16W Metal Oxide	AC
R1107	VRS-CY1JF123F	J 12k	1/16W Metal Oxide	AA
R1108	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R1109	VRS-CY1JF333J	J 33k	1/16W Metal Oxide	AA
R1110	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R1111	VRS-CY1JF683J	J 68k	1/16W Metal Oxide	AA
R1112	VRS-CY1JF123F	J 12k	1/16W Metal Oxide	AA
R1114	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R1115	VRS-CY1JF102J	J 1k	1/16W Metal Oxide	AA
R1116	VRS-CY1JF102J	J 1k	1/16W Metal Oxide	AA
R1117	VRS-CY1JF102J	J 1k	1/16W Metal Oxide	AA
R1118	VRS-CY1JF563F	J 56k	1/16W Metal Oxide	AA
R1119	VRS-CY1JF472F	J 4.7k	1/16W Metal Oxide	AA
R1120	VRS-TX2HF5R6J	J 5.6	1/2W Metal Oxide	AA
R1121	VRS-CY1JF181J	J 180	1/16W Metal Oxide	AA
R1123	VRS-CY1JF181J	J 180	1/16W Metal Oxide	AA
R1124	VRS-CY1JF472F	J 4.7k	1/16W Metal Oxide	AA
R1125	VRS-TX2HF101J	J 100	1/2W Metal Oxide	AA
R1126	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R1127	VRS-TX2HF1R8JY	J 1.8	1/2W Metal Oxide	AB
R1128	VRS-CY1JF105J	J 1M	1/16W Metal Oxide	AA
R1129	VRS-CY1JF363F	J 36k	1/16W Metal Oxide	AA
R1130	VRS-TX2HF5R6J	J 5.6	1/2W Metal Oxide	AA
R1131	VRS-CY1JF105J	J 1M	1/16W Metal Oxide	AA
R1132	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R1134	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R1140	VRS-CY1JF273F	J 27k	1/16W Metal Oxide	AA
R1142	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R1143	VRS-CY1JF391J	J 390	1/16W Metal Oxide	AA
R1144	VRS-CY1JF391J	J 390	1/16W Metal Oxide	AA
R1145	VRS-TW2ED5R6J	J 5.6	1/4W Metal Oxide	AA
R1146	VRS-TW2ED8R2J	J 8.2	1/4W Metal Oxide	AB
R1147	VRS-TX2HF000J	J 0	1/2W Metal Oxide	AA
R1148	VRS-TX2HF100J	J 10	1/2W Metal Oxide	AA
R1150	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R1151	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R1152	VRS-CY1JF391J	J 390	1/16W Metal Oxide	AA
R1153	VRS-CY1JF680J	J 68	1/16W Metal Oxide	AA
R1154	VRS-CY1JF683J	J 68k	1/16W Metal Oxide	AA
R1157	VRS-CY1JF683J	J 68k	1/16W Metal Oxide	AA
R1158	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R1160	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R1161	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R1162	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA
R1163	VRS-CY1JF123F	J 12k	1/16W Metal Oxide	AA
R1164	VRS-CY1JF000J	J 0	1/16W Metal Oxide	AA
R1166	VRS-CY1JF104J	J 100k	1/16W Metal Oxide	AA
R1167	VRS-CY1JF103F	J 10k	1/16W Metal Oxide	AA

Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

DUNTKA670FE24
DIGITAL UNIT (Continued)

R1168	VRS-CY1JF103F	J	10k	1/16W	Metal Oxide	AA
R1169	VRS-CF1JP333JY	J	33k	1/16W	Metal Oxide	AC
R1170	VRS-CY1JF683J	J	68k	1/16W	Metal Oxide	AA
R1171	VRS-CY1JF123F	J	12k	1/16W	Metal Oxide	AA
R1172	VRS-CY1JF103F	J	10k	1/16W	Metal Oxide	AA
R1173	VRS-CY1JF333J	J	33k	1/16W	Metal Oxide	AA
R1174	VRS-CY1JF683J	J	68k	1/16W	Metal Oxide	AA
R1175	VRS-CY1JF123F	J	12k	1/16W	Metal Oxide	AA
R1176	VRS-CY1JF103F	J	10k	1/16W	Metal Oxide	AA
R1177	VRS-CY1JF683J	J	68k	1/16W	Metal Oxide	AA
R1178	VRS-CY1JF123F	J	12k	1/16W	Metal Oxide	AA
R1179	VRS-CY1JF103F	J	10k	1/16W	Metal Oxide	AA
R1182	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R1183	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R1184	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R1185	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R1186	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R1187	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R1188	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R1189	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1190	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1193	VRS-CY1JF680J	J	68	1/16W	Metal Oxide	AA
R1194	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1195	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1196	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1198	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1199	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1201	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1202	VRS-CF1JP220JY	J	22	1/16W	Metal Oxide	AC
R1203	VRS-CF1JP220JY	J	22	1/16W	Metal Oxide	AC
R1204	VRS-CF1JP220JY	J	22	1/16W	Metal Oxide	AC
R1208	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R1209	VRS-CA1JF220J	J	22	1/16W	Metal Oxide	AA
R1210	VRS-CY1JF220J	J	22	1/16W	Metal Oxide	AA
R1211	VRS-CY1JF221J	J	220	1/16W	Metal Oxide	AA
R1212	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1214	VRS-CB1JF101J	J	100	1/16W	Metal Oxide	AA
R1217	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R1218	VRS-CA1JF101J	J	100	1/16W	Metal Oxide	AA
R1220	VRS-CY1JF472J	J	4.7k	1/16W	Metal Oxide	AA
R1221	VRS-CB1JF332J	J	3.3k	1/16W	Metal Oxide	AC
R1222	VRS-CB1JF000J	J	0	1/16W	Metal Oxide	AC
R1223	VRS-CA1JF101J	J	100	1/16W	Metal Oxide	AA
R1225	VRS-CY1JF472J	J	4.7k	1/16W	Metal Oxide	AA
R1226	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R1228	VRS-TX2HF330J	J	33	1/2W	Metal Oxide	AA
R1230	VRS-TV1JD562J	J	5.6k	1/10W	Metal Oxide	AA
R1231	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1232	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R1233	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R1234	VRS-CY1JF472J	J	4.7k	1/16W	Metal Oxide	AA
R1235	VRS-CB1JF473J	J	47k	1/16W	Metal Oxide	AC
R1236	VRS-CB1JF473J	J	47k	1/16W	Metal Oxide	AC
R1237	VRS-TX2HF472J	J	4.7k	1/2W	Metal Oxide	AA
R1238	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R1240	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1243	VRS-CY1JF1R0J	J	1	1/16W	Metal Oxide	AA
R1245	VRS-CY1JF272J	J	2.7k	1/16W	Metal Oxide	AA
R1246	VRS-CY1JF272J	J	2.7k	1/16W	Metal Oxide	AA
R1247	VRS-CY1JF682J	J	6.8k	1/16W	Metal Oxide	AA
R1248	VRS-CY1JF562J	J	5.6k	1/16W	Metal Oxide	AA
R1249	VRS-CY1JF103J	J	10k	1/16W	Metal Oxide	AA
R1250	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1251	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1252	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R1260	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R2001	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R2002	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2007	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R2009	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R2010	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA

Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

R2011	VRS-CB1JF101J	J	100	1/16W	Metal Oxide	AA
R2012	VRS-CA1JF103J	J	10k	1/16W	Metal Oxide	AA
R2013	VRS-CA1JF223J	J	22k	1/16W	Metal Oxide	AA
R2014	VRS-CA1JF101J	J	100	1/16W	Metal Oxide	AA
R2015	VRS-CB1JF331J	J	330	1/16W	Metal Oxide	AC
R2016	VRS-CY1JF103J	J	10k	1/16W	Metal Oxide	AA
R2017	VRS-CA1JF102J	J	1k	1/16W	Metal Oxide	AA
R2018	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R2019	VRS-CY1JF471J	J	470	1/16W	Metal Oxide	AA
R2020	VRS-CY1JF105J	J	1M	1/16W	Metal Oxide	AA
R2021	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R2022	VRS-CA1JF101J	J	100	1/16W	Metal Oxide	AA
R2028	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2029	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R2030	VRS-CA1JF333J	J	33k	1/16W	Metal Oxide	AA
R2031	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2032	VRS-CY1JF393J	J	39k	1/16W	Metal Oxide	AA
R2033	VRS-CB1JF101J	J	100	1/16W	Metal Oxide	AA
R2041	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2042	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2043	VRS-CB1JF101J	J	100	1/16W	Metal Oxide	AA
R2044	VRS-CY1JF103J	J	10k	1/16W	Metal Oxide	AA
R2045	VRS-CY1JF103J	J	10k	1/16W	Metal Oxide	AA
R2051	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R2052	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2053	VRS-CA1JF101J	J	100	1/16W	Metal Oxide	AA
R2054	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2055	VRS-CA1JF223J	J	22k	1/16W	Metal Oxide	AA
R2056	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2057	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R2058	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R2060	VRS-CY1JF103J	J	10k	1/16W	Metal Oxide	AA
R2061	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R2067	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R2068	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R7002	VRS-CY1JF471J	J	470	1/16W	Metal Oxide	AA
R7003	VRS-CY1JF471J	J	470	1/16W	Metal Oxide	AA
R7004	VRS-CY1JF182J	J	1.8k	1/16W	Metal Oxide	AA
R7005	VRS-CY1JF182J	J	1.8k	1/16W	Metal Oxide	AA
R7006	VRS-CY1JF472J	J	4.7k	1/16W	Metal Oxide	AA
R7007	VRS-CY1JF471J	J	470	1/16W	Metal Oxide	AA
R7008	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R7009	VRS-CY1JF222J	J	2.2k	1/16W	Metal Oxide	AA
R7010	VRS-CY1JF223J	J	22k	1/16W	Metal Oxide	AA
R7011	VRS-CY1JF224J	J	220k	1/16W	Metal Oxide	AA
R7012	VRS-CY1JF221J	J	220	1/16W	Metal Oxide	AA
R7013	VRS-CY1JF561J	J	560	1/16W	Metal Oxide	AA
R7014	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R7015	VRS-CY1JF391J	J	390	1/16W	Metal Oxide	AA
R7016	VRS-CY1JF561J	J	560	1/16W	Metal Oxide	AA
R7017	VRS-CY1JF561J	J	560	1/16W	Metal Oxide	AA
R7018	VRS-CY1JF911J	J	910	1/16W	Metal Oxide	AA
R7019	VRS-CY1JF561J	J	560	1/16W	Metal Oxide	AA
R7020	VRS-CY1JF911J	J	910	1/16W	Metal Oxide	AA
R7021	VRS-CY1JF132J	J	1.3k	1/16W	Metal Oxide	AA
R7022	VRS-CY1JF682J	J	6.8k	1/16W	Metal Oxide	AA
R7023	VRS-CF1JP101JY	J	100	1/16W	Metal Oxide	AC
R7024	VRS-CF1JP101JY	J	100	1/16W	Metal Oxide	AC
R7025	VRS-CF1JP101JY	J	100	1/16W	Metal Oxide	AC
R7029	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R7030	VRS-CY1JF122J	J	1.2k	1/16W	Metal Oxide	AA
R7031	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R7032	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R7033	VRS-CY1JF100J	J	10	1/16W	Metal Oxide	AA
R7034	VRS-CY1JF471J	J	470	1/16W	Metal Oxide	AA
R7035	VRS-CY1JF911J	J	910	1/16W	Metal Oxide	AA
R7036	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R7037	VRS-CY1JF152J	J	1.5k	1/16W	Metal Oxide	AA
R7038	VRS-CY1JF222J	J	2.2k	1/16W	Metal Oxide	AA
R7039	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R7040	VRS-CY1JF911J	J	910	1/16W	Metal Oxide	AA
R7041	VRS-CY1JF222J	J	2.2k	1/16W	Metal Oxide	AA
R7042	VRS-CY1JF222J	J	2.2k	1/16W	Metal Oxide	AA
R7043	VRS-CY1JF222J	J	2.2k	1/16W	Metal Oxide	AA
R7044	VRS-CY1JF473J	J	47k	1/16W	Metal Oxide	AA

Ref. No. Part No. ★ Description Code

DUNTKA670FE24 DIGITAL UNIT (Continued)

R7045	VRS-CY1JF473J	J	47k	1/16W	Metal Oxide	AA
R7046	VRS-CY1JF182J	J	1.8k	1/16W	Metal Oxide	AA
R7047	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R7048	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R7049	VRS-CY1JF333J	J	33k	1/16W	Metal Oxide	AA
R7050	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R7051	VRS-CY1JF000J	J	0	1/16W	Metal Oxide	AA
R7053	VRS-CB1JF104J	J	100k	1/16W	Metal Oxide	AA
R7103	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R7104	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R7106	VRS-CY1JF101J	J	100	1/16W	Metal Oxide	AA
R7110	VRS-CY1JF103J	J	10k	1/16W	Metal Oxide	AA
R7112	VRS-TX2HF2R2J	J	2.2	1/2W	Metal Oxide	AB
R7113	VRS-CE3AF120JY	J	12	1W	Metal Oxide	AC
R7114	VRS-CE3AF100JY	J	10	1W	Metal Oxide	AC
R7201	VRS-CY1JF105J	J	1M	1/16W	Metal Oxide	AA
R7202	VRS-CY1JF105J	J	1M	1/16W	Metal Oxide	AA
R7203	VRS-CY1JF105J	J	1M	1/16W	Metal Oxide	AA
R7701	VRS-CY1JF103J	J	10k	1/16W	Metal Oxide	AA
R7702	VRS-CY1JF332J	J	3.3k	1/16W	Metal Oxide	AA
R7703	VRS-CY1JF332J	J	3.3k	1/16W	Metal Oxide	AA
R7704	VRS-CY1JF102J	J	1k	1/16W	Metal Oxide	AA
R7705	VRS-CE3AF4R7JY	J	4.7	1W	Metal Oxide	AC

MISCELLANEOUS PARTS

FB801	RBLN-0090CEZZ	J	Ferrite Bead			AD
FB802	RBLN-0090CEZZ	J	Ferrite Bead			AD
FB901	RBLN-0090CEZZ	J	Ferrite Bead			AD
FB902	RBLN-0090CEZZ	J	Ferrite Bead			AD
FB903	RBLN-0090CEZZ	J	Ferrite Bead			AD
FB1201	RBLN-0090CEZZ	J	Ferrite Bead			AD
FB1202	RBLN-0006TAZZ	J	Ferrite Bead			AB
FB1203	RBLN-0076TAZZ	J	Ferrite Bead			AC
FB7001	RBLN-0061TAZZ	J	Ferrite Bead			AD
FB7002	RBLN-0061TAZZ	J	Ferrite Bead			AD
FB7003	RBLN-0061TAZZ	J	Ferrite Bead			AD
FB7101	RBLN-0059CEZZ	J	Ferrite Bead			AB
FB7102	RBLN-0059CEZZ	J	Ferrite Bead			AB
FB7103	RBLN-0059CEZZ	J	Ferrite Bead			AB
FB7104	RBLN-0059CEZZ	J	Ferrite Bead			AB
FB7105	RBLN-0059CEZZ	J	Ferrite Bead			AB
P2001	QPLGN0558REZZ	J	Plug, 5-pin			AE
P2003	QPLGN1058REZZY	J	Plug, 10-pin			AD
P2004	QPLGN0165FJZZ	J	Plug, 5-pin			AD
SC901	QSOCN0464FJZZ	J	Socket, 50-pin			AH
SC1201	QSOCNA002WJPZY	J	Socket, 20-pin			AD
SC1202	QSOCN0687FJZZY	J	Socket, 50-pin			AF
SC1203	QSOCN0206FJZZ	J	Socket, 30-pin			AF
SC2001	QSOCN0464FJZZ	J	Socket, 50-pin			AH
	PSLDM4693CEFW	J	Shield			AD
	QCNW-A549WJZZ	J	Connecting Cord			AR

Ref. No. Part No. ★ Description Code

DUNTKB128DE06 ANALOG UNIT

TUNER

NOTE: THE PARTS HERE SHOWN ARE SUPPLIED AS AN ASSEMBLY BUT NOT INDEPENDENTLY.

TU3201	VTUVT2U5UF553	J	Tuner			BC
--------	---------------	---	-------	--	--	----

INTEGRATED CIRCUITS

IC3301	VHiNJM4560M-1	J	NJM4560M			AG
IC3302	VHiNJM4560M-1	J	NJM4560M			AG
IC3303	VHiNJM4560M-1	J	NJM4560M			AG
IC3304	RH-iX3370CEN1Q	J	MSP3440G-QA-B8			AY
IC3305	VHiLA4635A+-1S	J	LA4635A			AM
IC3501	VHiTC4053BF1E	J	TC4053BF			AF
IC3701	VHiNJM2377M-1	J	NJM2377M			AK
IC3702	VHiNJM2147M-1	J	NJM2147M-TE1			AF

TRANSISTORS

Q3201	VS2SC3928AR-1	J	2SC3928AR			AB
Q3202	VS2SC3928AR-1	J	2SC3928AR			AB
Q3303	VSDTA144EE/-1	J	DTA144EE			AA
Q3304	VSDTC314TK/-1	J	DTC314TK			AC
Q3305	VSDTC314TK/-1	J	DTC314TK			AC
Q3306	VS2SC3928AR-1	J	2SC3928AR			AB
Q3500	VSUMG4/////1	J	UMG4/////			AC
Q3501	VS2SK1467//1	J	2SK1467			AE
Q3502	VS2SK1467//1	J	2SK1467			AE
Q3503	VS2SC3928AR-1	J	2SC3928AR			AB
Q3504	VS2SC3928AR-1	J	2SC3928AR			AB
Q3505	VSDTC114EE/-1	J	DTC114EE			AB
Q3510	VSDTC314TK/-1	J	DTC314TK			AC
Q3511	VSDTC314TK/-1	J	DTC314TK			AC
Q3512	VS2SA1037KQ-1	J	2SA1037KQ			AA
Q3600	VSUPA606T//1	J	UPA606T			AD
Q3601	VSUPA606T//1	J	UPA606T			AD
Q3602	VSUPA606T//1	J	UPA606T			AD
Q3603	VSUPA606T//1	J	UPA606T			AD
Q3604	VSUPA606T//1	J	UPA606T			AD
Q3700	VSFMMT718//1	J	FMMT718			AE
Q3701	VSDTC144EE/-1	J	DTC114EE			AA
Q3702	VS2SK2503//1	J	2SK2503			AE
Q3704	VSFMMT619//1	J	FMMT619			AE
Q3706	VSFMY3/////1	J	FMY3/////			AB
Q3707	VS2SC3928AR-1	J	2SC3928AR			AB
Q3708	VSDTC114YE/-1	J	DTC114YE			AB
Q3709	VSFMMT718//1	J	FMMT718			AE
Q3710	VSDTC144EE/-1	J	DTC114EE			AA

DIODES

D3301	RH-EX1396CEZZY	J	Zener Diode			AB
D3302	VHDDAN222//1	J	Diode			AA
D3401	RH-EX1271CEZZ	J	Zener Diode			AB
D3402	RH-EX1271CEZZ	J	Zener Diode			AB
D3501	VHDDAN222//1	J	Diode			AA
D3600	VHDMN10///1	J	Diode			AB
D3601	VHDMN10///1	J	Diode			AB
D3602	VHDMN10///1	J	Diode			AB
D3603	VHDMN10///1	J	Diode			AB
D3604	VHDMN10///1	J	Diode			AB
D3605	VHDMN10///1	J	Diode			AB
D3606	VHDMN10///1	J	Diode			AB
D3607	VHDMN10///1	J	Diode			AB
D3700	VHDDAN222//1	J	Diode			AA
D3703	VHDSFPB56//2E	J	Diode			AC
D3704	VHD1SS250//1E	J	Diode			AB
D3705	VHD1SS250//1E	J	Diode			AB
D3706	VHDSFPB74//2E	J	Diode			AD
D3707	VHDSFPB74//2E	J	Diode			AD
D3708	VHDDAN222//1	J	Diode			AA
D3709	VHDDAN222//1	J	Diode			AA
D3711	VHDDAN222//1	J	Diode			AA

Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

DUNTKB128DE06 ANALOG UNIT (Continued)

PACKGED CIRCUIT

X3301	RCRSB0307CEZZ	J	Crystal	AG
-------	---------------	---	---------	----

COILS

L3201	VP-1M220J2R9N	J	Peaking 22μH	AC
L3202	RCiLC0141CEZZ	J	Coil	AF
L3301	VP-1M101J7R7N	J	Peaking 100μH	AC
L3302	VP-1M4R7J1R2N	J	Peaking 4.7μH	AB
L3500	VP-1M101J7R7N	J	Peaking 100μH	AC
L3700	RCiLC0130CEZZ	J	Coil	AG
L3702	RCiLC0130CEZZ	J	Coil	AG
L3703	RCiLC0057CEZZ	J	Coil	AD
L3704	RCiLC0055CEZZ	J	Coil	AD

TRANSFORMERS

T3701	RTRNW0010CEZZY	J	Transformer	AL
-------	----------------	---	-------------	----

CONTROL

R3760	RVR-M0111CEZZY	J	1k(B) B+ Adj.	AC
-------	----------------	---	---------------	----

CAPACITORS

C3201	VCKYCY1HB102K	J	1000p 50V Ceramic	AA
C3202	VCCCCY1HH330J	J	33p 50V Ceramic	AA
C3203	VCCCCY1HH330J	J	33p 50V Ceramic	AA
C3204	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3205	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3206	VCKYCY1HF103Z	J	0.01 50V Ceramic	AA
C3208	RC-EZ1351CEZZ	J	3300 6.3V Electrolytic	AF
C3210	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3301	VCKYCY1HB392K	J	3900p 50V Ceramic	AA
C3302	VCKYCY1HB392K	J	3900p 50V Ceramic	AA
C3303	VCKYCY1EB822K	J	8200p 25V Ceramic	AA
C3304	VCKYCY1HB392K	J	3900p 50V Ceramic	AA
C3305	VCKYCY1HB392K	J	3900p 50V Ceramic	AA
C3306	VCKYCY1EB822K	J	8200p 25V Ceramic	AA
C3308	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3309	VCKYCY1HB682K	J	6800p 50V Ceramic	AA
C3310	VCKYCY1HB682K	J	6800p 50V Ceramic	AA
C3311	VCKYCY1HB153K	J	0.015 50V Ceramic	AA
C3312	VCKYCY1HB153K	J	0.015 50V Ceramic	AA
C3313	VCKYCY1HB682K	J	6800p 50V Ceramic	AA
C3314	VCKYCY1HB682K	J	6800p 50V Ceramic	AA
C3315	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3316	VCKYCY1CB273K	J	0.027 16V Ceramic	AA
C3317	VCKYCY1CB273K	J	0.027 16V Ceramic	AA
C3318	VCKYCY1CB273K	J	0.027 16V Ceramic	AA
C3319	VCKYCY1CB273K	J	0.027 16V Ceramic	AA
C3320	VCEAPF1CN476M	J	47 16V Electrolytic	AD
C3321	VCEAPF1HN225M	J	2.2 50V Electrolytic	AD
C3322	VCEAPF1HN225M	J	2.2 50V Electrolytic	AD
C3323	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3324	VCEAPF1HN225M	J	2.2 50V Electrolytic	AD
C3325	VCEAPF1HN225M	J	2.2 50V Electrolytic	AD
C3328	VCEAPF1HN225M	J	2.2 50V Electrolytic	AD
C3329	VCEAPF1HN225M	J	2.2 50V Electrolytic	AD
C3330	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3332	VCEAPF0JN107M	J	100 6.3V Electrolytic	AD
C3333	VCEAPF1CN107M	J	100 16V Electrolytic	AD
C3334	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3335	VCKYCY1HB272K	J	2700p 50V Ceramic	AA
C3336	VCKYCY1HB272K	J	2700p 50V Ceramic	AA
C3337	VCEAPF1CN106M	J	10 16V Electrolytic	AD
C3338	VCEAPF1CN106M	J	10 16V Electrolytic	AD
C3339	VCEAPF1HN335MY	J	3.3 50V Electrolytic	AD
C3340	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3341	VCCCCY1HH101J	J	100p 50V Ceramic	AA
C3342	VCCCCY1HH101J	J	100p 50V Ceramic	AA
C3343	VCCCCY1HH101J	J	100p 50V Ceramic	AA
C3344	VCCCCY1HH101J	J	100p 50V Ceramic	AA
C3345	VCCCCY1HH101J	J	100p 50V Ceramic	AA
C3346	VCCCCY1HH101J	J	100p 50V Ceramic	AA

Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

C3349	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3350	VCEAPF1CN106M	J	10 16V Electrolytic	AD
C3351	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
C3352	VCEAPF0JN107M	J	100 6.3V Electrolytic	AD
C3354	VCCCCY1HH560J	J	56p 50V Ceramic	AA
C3355	VCCCCY1HH560J	J	56p 50V Ceramic	AA
C3356	VCCCCY1HH560J	J	56p 50V Ceramic	AA
C3357	VCCCCY1HH5R0C	J	5p 50V Ceramic	AA
C3358	VCCCCY1HH5R0C	J	5p 50V Ceramic	AA
C3359	VCEAPF1CN106M	J	10 16V Electrolytic	AD
C3360	VCEAPF1CN107M	J	100 16V Electrolytic	AD
C3361	VCEAPF1HN105M	J	1 50V Electrolytic	AD
C3362	VCKYCY1HB102K	J	1000p 50V Ceramic	AA
C3363	VCEAPF1HN225M	J	2.2 50V Electrolytic	AD
C3364	VCEAPF1HN105M	J	1 50V Electrolytic	AD
C3365	VCKYCY1HB102K	J	1000p 50V Ceramic	AA
C3366	VCEAPF1HN225M	J	2.2 50V Electrolytic	AD
C3367	VCEAPF1CN106M	J	10 16V Electrolytic	AD
C3368	VCEAPF1CN106M	J	10 16V Electrolytic	AD
C3369	RC-EZ1274CEZZ	J	1000 16V Electrolytic	AD
C3370	VCKYTV1CF105Z	J	1 16V Ceramic	AB
C3371	VCEA4A1CN228M	J	2200 16V Electrolytic	AF
C3372	RC-EZ1274CEZZ	J	1000 16V Electrolytic	AD
C3380	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3382	VCKYCY1HB102K	J	1000p 50V Ceramic	AA
C3383	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3384	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3389	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3401	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3509	VCEAPF1CW107M	J	100 16V Electrolytic	AD
C3510	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3512	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3513	VCEASH1CN477MY	J	470 16V Electrolytic	AD
C3514	VCEAPF0JW336M	J	33 6.3V Electrolytic	AB
C3515	VCEAPF0JW226M	J	22 6.3V Electrolytic	AB
C3516	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
C3517	VCKYCY1EB223K	J	0.022 25V Ceramic	AA
C3518	VCKYCY1EB223K	J	0.022 25V Ceramic	AA
C3520	VCEAPF1EW475M	J	4.7 25V Electrolytic	AB
C3521	VCEAPF1EW475M	J	4.7 25V Electrolytic	AB
C3522	VCEAPF1CW106M	J	10 16V Electrolytic	AB
C3600	VCKYTQ1EF105Z	J	1 25V Ceramic	AD
C3601	VCKYTQ1EF105Z	J	1 25V Ceramic	AD
C3602	VCKYTQ1EF105Z	J	1 25V Ceramic	AD
C3603	VCKYTQ1EF105Z	J	1 25V Ceramic	AD
C3604	VCKYTQ1EF105Z	J	1 25V Ceramic	AD
C3605	VCKYTQ1EF105Z	J	1 25V Ceramic	AD
C3606	VCKYTQ1EF105Z	J	1 25V Ceramic	AD
C3607	VCKYTQ1EF105Z	J	1 25V Ceramic	AD
C3608	VCKYTQ1EF105Z	J	1 25V Ceramic	AD
C3609	VCKYTQ1EF105Z	J	1 25V Ceramic	AD
C3700	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3701	VCEAPF1EW475M	J	4.7 25V Electrolytic	AB
C3702	RC-KZ1025CEZZ	J	1 10V Ceramic	AB
C3703	VCEAPT1CN226M	J	22 16V Electrolytic	AC
C3704	VCCCCY1HH471J	J	470p 50V Ceramic	AA
C3705	VCKYCY1EB103K	J	0.01 25V Ceramic	AA
C3710	VCEASH1CN337MY	J	330 16V Electrolytic	AE
C3711	VCKYCY1HB562K	J	5600p 50V Ceramic	AA
C3712	VCAAPF1CJ826MY	J	82 16V Electrolytic	AG
C3713	VCKYCY1HB562K	J	5600p 50V Ceramic	AA
C3714	VCEASH1HN476MY	J	47 50V Electrolytic	AD
C3715	VCKYTV1HF104Z	J	0.1 50V Ceramic	AA
C3716	VCEASH1EN227MY	J	220 25V Electrolytic	AE
C3717	VCKYTV1CF105Z	J	1 16V Ceramic	AB
C3718	VCEASH1CN337MY	J	330 16V Electrolytic	AE
C3719	VCKYCY1EF104Z	J	0.1 25V Ceramic	AA
C3720	VCCCCY1HH181J	J	180p 50V Ceramic	AA
C3721	VCKYTV1CF105Z	J	1 16V Ceramic	AB
C3722	VCAAPF0JJ157MY	J	150 6.3V Electrolytic	AG
C3724	VCEASH1CN337MY	J	330 16V Electrolytic	AE
C3725	VCKYTV1CF105Z	J	1 16V Ceramic	AB
C3727	VCEASH1CN477MY	J	470 16V Electrolytic	AD
C3728	VCKYTV1CF105Z	J	1 16V Ceramic	AB
C3730	VCKYTV1HF104Z	J	0.1 50V Ceramic	AA

Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

DUNTKB128DE06 ANALOG UNIT (Continued)

C3732	RC-KZ1025CEZZ	J 1	10V	Ceramic	AB
C3733	RC-KZ1025CEZZ	J 1	10V	Ceramic	AB
C3734	VCKYCY1EF104Z	J 0.1	25V	Ceramic	AA
C3735	VCKYCY1HF103Z	J 0.01	50V	Ceramic	AA
C3740	VCKYCY1EF104Z	J 0.1	25V	Ceramic	AA
C3741	VCEAPF1HN225M	J 2.2	50V	Electrolytic	AD
C3750	VCEA4A1CN108M	J 1000	16V	Electrolytic	AD

RESISTORS

R3201	VRS-CY1JF102J	J 1k	1/16W	Metal Oxide	AA
R3202	VRS-CY1JF153J	J 15k	1/16W	Metal Oxide	AA
R3203	VRS-CY1JF332J	J 3.3k	1/16W	Metal Oxide	AA
R3204	VRS-CY1JF152J	J 1.5k	1/16W	Metal Oxide	AA
R3205	VRS-CY1JF331J	J 330	1/16W	Metal Oxide	AA
R3206	VRS-CY1JF102J	J 1k	1/16W	Metal Oxide	AA
R3207	VRS-CY1JF102J	J 1k	1/16W	Metal Oxide	AA
R3208	VRS-CA1JF561J	J 560	1/16W	Metal Oxide	AA
R3303	VRS-CY1JF103F	J 10k	1/16W	Metal Oxide	AA
R3304	VRS-CY1JF103F	J 10k	1/16W	Metal Oxide	AA
R3305	VRS-CY1JF472F	J 4.7k	1/16W	Metal Oxide	AA
R3307	VRS-CY1JF152J	J 1.5k	1/16W	Metal Oxide	AA
R3308	VRS-CY1JF123J	J 12k	1/16W	Metal Oxide	AA
R3309	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3311	VRS-CY1JF103F	J 10k	1/16W	Metal Oxide	AA
R3312	VRS-CY1JF103F	J 10k	1/16W	Metal Oxide	AA
R3315	VRS-CY1JF103F	J 10k	1/16W	Metal Oxide	AA
R3316	VRS-CY1JF152J	J 1.5k	1/16W	Metal Oxide	AA
R3317	VRS-CY1JF103F	J 10k	1/16W	Metal Oxide	AA
R3318	VRS-CY1JF152J	J 1.5k	1/16W	Metal Oxide	AA
R3319	VRS-CY1JF472F	J 4.7k	1/16W	Metal Oxide	AA
R3320	VRS-CY1JF472F	J 4.7k	1/16W	Metal Oxide	AA
R3321	VRS-CY1JF103F	J 10k	1/16W	Metal Oxide	AA
R3322	VRS-CY1JF123J	J 12k	1/16W	Metal Oxide	AA
R3323	VRS-CY1JF103F	J 10k	1/16W	Metal Oxide	AA
R3324	VRS-CY1JF123J	J 12k	1/16W	Metal Oxide	AA
R3325	VRS-CY1JF333F	J 33k	1/16W	Metal Oxide	AA
R3326	VRS-CY1JF333F	J 33k	1/16W	Metal Oxide	AA
R3327	VRS-CY1JF184F	J 180k	1/16W	Metal Oxide	AA
R3328	VRS-CY1JF184F	J 180k	1/16W	Metal Oxide	AA
R3331	VRS-CY1JF473J	J 47k	1/16W	Metal Oxide	AA
R3332	VRS-CY1JF473J	J 47k	1/16W	Metal Oxide	AA
R3333	VRS-CY1JF223J	J 22k	1/16W	Metal Oxide	AA
R3334	VRS-CY1JF223J	J 22k	1/16W	Metal Oxide	AA
R3335	VRS-CY1JF102J	J 1k	1/16W	Metal Oxide	AA
R3336	VRS-CY1JF102J	J 1k	1/16W	Metal Oxide	AA
R3337	VRS-CY1JF104J	J 100k	1/16W	Metal Oxide	AA
R3338	VRS-CY1JF104J	J 100k	1/16W	Metal Oxide	AA
R3341	VRS-CY1JF561J	J 560	1/16W	Metal Oxide	AA
R3342	VRS-CY1JF561J	J 560	1/16W	Metal Oxide	AA
R3343	VRS-CY1JF104J	J 100k	1/16W	Metal Oxide	AA
R3344	VRS-CY1JF104J	J 100k	1/16W	Metal Oxide	AA
R3345	VRS-CY1JF472F	J 4.7k	1/16W	Metal Oxide	AA
R3346	VRS-CY1JF152J	J 1.5k	1/16W	Metal Oxide	AA
R3347	VRS-CY1JF102J	J 1k	1/16W	Metal Oxide	AA
R3348	VRS-CY1JF104J	J 100k	1/16W	Metal Oxide	AA
R3350	VRS-CY1JF102J	J 1k	1/16W	Metal Oxide	AA
R3351	VRS-CY1JF104J	J 100k	1/16W	Metal Oxide	AA
R3353	VRS-CY1JF101J	J 100	1/16W	Metal Oxide	AA
R3354	VRS-CY1JF101J	J 100	1/16W	Metal Oxide	AA
R3355	VRS-CY1JF101J	J 100	1/16W	Metal Oxide	AA
R3357	VRS-CY1JF105J	J 1M	1/16W	Metal Oxide	AA
R3358	VRS-CY1JF562J	J 5.6k	1/16W	Metal Oxide	AA
R3359	VRS-CY1JF101J	J 100	1/16W	Metal Oxide	AA
R3360	VRS-CY1JF102J	J 1k	1/16W	Metal Oxide	AA
R3361	VRS-CY1JF102J	J 1k	1/16W	Metal Oxide	AA
R3362	VRS-CY1JF272J	J 2.7k	1/16W	Metal Oxide	AA
R3363	VRS-CY1JF272J	J 2.7k	1/16W	Metal Oxide	AA
R3364	VRS-CY1JF122J	J 1.2k	1/16W	Metal Oxide	AA
R3365	VRS-CY1JF332J	J 3.3k	1/16W	Metal Oxide	AA
R3366	VRS-CY1JF332J	J 3.3k	1/16W	Metal Oxide	AA
R3367	VRS-CY1JF102J	J 1k	1/16W	Metal Oxide	AA

Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

R3369	VRS-CY1JF101J	J 100	1/16W	Metal Oxide	AA
R3370	VRS-CY1JF101J	J 100	1/16W	Metal Oxide	AA
R3371	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3372	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3373	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3375	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3377	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3379	VRS-CY1JF822J	J 8.2k	1/16W	Metal Oxide	AA
R3380	VRS-CY1JF103J	J 10k	1/16W	Metal Oxide	AA
R3381	VRS-CY1JF562J	J 5.6k	1/16W	Metal Oxide	AA
R3382	VRS-CY1JF123J	J 12k	1/16W	Metal Oxide	AA
R3383	VRS-CY1JF153J	J 15k	1/16W	Metal Oxide	AA
R3384	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3399	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3401	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3402	VRS-TQ2BD750J	J 75	1/8W	Metal Oxide	AA
R3409	VRS-CY1JF101J	J 100	1/16W	Metal Oxide	AA
R3410	VRS-CY1JF101J	J 100	1/16W	Metal Oxide	AA
R3411	VRS-TQ2BD750J	J 75	1/8W	Metal Oxide	AA
R3412	VRS-TQ2BD750J	J 75	1/8W	Metal Oxide	AA
R3413	VRS-CY1JF101J	J 100	1/16W	Metal Oxide	AA
R3428	VRS-CY1JF750J	J 75	1/16W	Metal Oxide	AA
R3429	VRS-CY1JF750J	J 75	1/16W	Metal Oxide	AA
R3430	VRS-CY1JF750J	J 75	1/16W	Metal Oxide	AA
R3431	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3432	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3433	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3434	VRS-CY1JF103J	J 10k	1/16W	Metal Oxide	AA
R3523	VRS-CY1JF103J	J 10k	1/16W	Metal Oxide	AA
R3524	VRS-CY1JF103J	J 10k	1/16W	Metal Oxide	AA
R3528	VRS-CY1JF471J	J 470	1/16W	Metal Oxide	AA
R3529	VRS-CY1JF471J	J 470	1/16W	Metal Oxide	AA
R3530	VRS-CY1JF104J	J 100k	1/16W	Metal Oxide	AA
R3531	VRS-TQ2BD680J	J 68	1/8W	Metal Oxide	AA
R3532	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3533	VRS-CY1JF680J	J 68	1/16W	Metal Oxide	AA
R3534	VRS-CY1JF101J	J 100	1/16W	Metal Oxide	AA
R3535	VRS-CY1JF223J	J 22k	1/16W	Metal Oxide	AA
R3536	VRS-CY1JF562J	J 5.6k	1/16W	Metal Oxide	AA
R3537	VRS-CY1JF272J	J 2.7k	1/16W	Metal Oxide	AA
R3540	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3542	VRS-CY1JF680J	J 68	1/16W	Metal Oxide	AA
R3543	VRS-CY1JF562J	J 5.6k	1/16W	Metal Oxide	AA
R3544	VRS-CY1JF104J	J 100k	1/16W	Metal Oxide	AA
R3545	VRS-CY1JF103J	J 10k	1/16W	Metal Oxide	AA
R3546	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3547	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3550	VRS-TX2HF221J	J 220	1/2W	Metal Oxide	AA
R3551	VRS-TX2HF221J	J 220	1/2W	Metal Oxide	AA
R3552	VRS-CY1JF153J	J 15k	1/16W	Metal Oxide	AA
R3553	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3558	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3561	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3562	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3600	VRS-CB1JF222J	J 2.2k	1/16W	Metal Oxide	AC
R3601	VRS-CB1JF222J	J 2.2k	1/16W	Metal Oxide	AC
R3602	VRS-CA1JF222J	J 2.2k	1/16W	Metal Oxide	AA
R3604	VRS-CB1JF824JY	J 820k	1/16W	Metal Oxide	AC
R3605	VRS-CB1JF824JY	J 820k	1/16W	Metal Oxide	AC
R3606	VRS-CA1JF824JY	J 820k	1/16W	Metal Oxide	AC
R3607	VRS-CB1JF562J	J 5.6k	1/16W	Metal Oxide	AC
R3608	VRS-CB1JF562J	J 5.6k	1/16W	Metal Oxide	AC
R3609	VRS-CA1JF562J	J 5.6k	1/16W	Metal Oxide	AA
R3610	VRS-CY1JF563J	J 56k	1/16W	Metal Oxide	AA
R3700	VRS-CY1JF472J	J 4.7k	1/16W	Metal Oxide	AA
R3701	VRS-CY1JF000J	J 0	1/16W	Metal Oxide	AA
R3702	VRS-TW2ED102J	J 1k	1/4W	Metal Oxide	AA
R3703	VRS-CY1JF274J	J 270k	1/16W	Metal Oxide	AA
R3704	VRS-CY1JF133F	J 13k	1/16W	Metal Oxide	AA
R3705	VRS-CY1JF184J	J 180k	1/16W	Metal Oxide	AA
R3706	VRS-CY1JF100J	J 10	1/16W	Metal Oxide	AA
R3707	VRS-CY1JF105J	J 1M	1/16W	Metal Oxide	AA
R3708	VRS-CY1JF682J	J 6.8k	1/16W	Metal Oxide	AA
R3710	VRS-CY1JF273F	J 27k	1/16W	Metal Oxide	AA
R3716	VRS-TX2HF000J	J 0	1/2W	Metal Oxide	AA

Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

DUNTKB128DE06 ANALOG UNIT (Continued)

R3718	VRS-CE3AF821JY	J	820 1W	Metal Oxide	AC
R3721	VRS-CY1JF000J	J	0 1/16W	Metal Oxide	AA
R3722	VRS-CY1JF000J	J	0 1/16W	Metal Oxide	AA
R3724	VRS-CY1JF1R0J	J	1 1/16W	Metal Oxide	AA
R3725	VRS-CY1JF000J	J	0 1/16W	Metal Oxide	AA
R3726	VRS-TQ2BD683J	J	68k 1/8W	Metal Oxide	AA
R3727	VRS-CY1JF000J	J	0 1/16W	Metal Oxide	AA
R3728	VRS-CY1JF393J	J	39k 1/16W	Metal Oxide	AA
R3730	VRS-CY1JF223J	J	22k 1/16W	Metal Oxide	AA
R3731	VRS-CY1JF222J	J	2.2k 1/16W	Metal Oxide	AA
R3733	VRS-CY1JF102J	J	1k 1/16W	Metal Oxide	AA
R3734	VRS-CY1JF103F	J	10k 1/16W	Metal Oxide	AA
R3735	VRS-CY1JF123F	J	12k 1/16W	Metal Oxide	AA
R3736	VRS-CY1JF243F	J	24k 1/16W	Metal Oxide	AA
R3737	VRS-CY1JF103J	J	10k 1/16W	Metal Oxide	AA
R3738	VRS-CY1JF103F	J	10k 1/16W	Metal Oxide	AA
R3739	VRS-CY1JF622F	J	6.2k 1/16W	Metal Oxide	AA
R3740	VRS-CY1JF473F	J	47k 1/16W	Metal Oxide	AA
R3741	VRS-CY1JF123F	J	12k 1/16W	Metal Oxide	AA
R3742	VRS-CY1JF182F	J	1.8k 1/16W	Metal Oxide	AA
R3743	VRS-CY1JF122F	J	1.2k 1/16W	Metal Oxide	AA
R3745	VRS-CY1JF682F	J	6.8k 1/16W	Metal Oxide	AA
R3746	VRS-CY1JF122F	J	1.2k 1/16W	Metal Oxide	AA
R3749	VRS-CY1JF102J	J	1k 1/16W	Metal Oxide	AA
R3750	VRS-CY1JF391J	J	390 1/16W	Metal Oxide	AA
R3751	VRS-TV1JD103J	J	10k 1/10W	Metal Oxide	AA
R3752	VRS-CY1JF102J	J	1k 1/16W	Metal Oxide	AA
R3753	VRS-TX2HF000J	J	0 1/2W	Metal Oxide	AA
R3754	VRS-CY1JF103J	J	10k 1/16W	Metal Oxide	AA
R3759	VRS-TW2ED102J	J	1k 1/4W	Metal Oxide	AA
R3761	VRS-CY1JF272J	J	2.7k 1/16W	Metal Oxide	AA
R3762	VRS-TW2ED561J	J	560 1/4W	Metal Oxide	AA
R3766	VRS-CY1JF472J	J	4.7k 1/16W	Metal Oxide	AA
R3901	VRS-TQ2BD000J	J	0 1/8W	Metal Oxide	AA
R3902	VRS-TQ2BD000J	J	0 1/8W	Metal Oxide	AA

MISCELLANEOUS PARTS

△ F3701	QFS-B2021GEZZ	J	Fuse, 2A/125V	AD
△ F3702	QFS-B1621GEZZ	J	Fuse, 1.6A/125V	AD
FH3701	QFSD1002CEZZ	J	Fuse Holder	AA
FH3702	QFSD1002CEZZ	J	Fuse Holder	AA
FH3703	QFSD1002CEZZ	J	Fuse Holder	AA
FH3704	QFSD1002CEZZ	J	Fuse Holder	AA
FB3301	RBLN-0006TAZZ	J	Ferrite Bead	AB
FB3302	RBLN-0035TAZZ	J	Ferrite Bead	AB
FB3700	RBLN-0095CEZZ	J	Ferrite Bead	AD
FB3701	RBLN-0095CEZZ	J	Ferrite Bead	AD
FB3704	RBLN-0051TAZZ	J	Ferrite Bead	AC
FB3705	RBLN-0051TAZZ	J	Ferrite Bead	AC
FB3706	RBLN-0254TAZZY	J	Ferrite Bead	AB
FB3707	RBLN-0254TAZZY	J	Ferrite Bead	AB
FB3708	RBLN-0051TAZZ	J	Ferrite Bead	AC
FB3709	RBLN-0095CEZZ	J	Ferrite Bead	AD
J3301	QJAKF0066CEZZ	J	Jack	AE
J3401	QJAKG0085CEZZ	J	Jack	AG
J3404	QJAKG0069CEZZ	J	Jack	AG
J3407	QJAKG0068CEZZ	J	Jack	AG
J3500	QJAKJ0046CEZZ	J	Jack	AE
J3701	QJAKE0193CEZZ	J	Jack	AK
P3502	QPLGN0478GEZZ	J	Plug	AB
P3601	QPLGN0478GEZZ	J	Plug, 4-pin	AB
P3602	QPLGN0678GEZZ	J	Plug, 6-pin	AB
P3702	QPLGN0578GEZZ	J	Plug, 5-pin	AB
P3703	QPLGN0378GEZZ	J	Plug, 3-pin	AB
P3704	QPLGN0378GEZZ	J	Plug	AB
SC3403	QSOCN0464FJZZ	J	Socket, 50-pin	AH
SC3405	QSOCN0464FJZZ	J	Socket	AE
	QCNW-A267WJZZ	J	Connecting Cord	AK
	QCNW-6059CEZZ	J	Connecting Cord	AE

Ref. No.	Part No.	★	Description	Code
----------	----------	---	-------------	------

DUNTKB129DE06 CONTROL UNIT

DIODES

D4008	RH-EX1283CEZZ	J	Zener Diode, 18V	AB
D4009	RH-EX1271CEZZ	J	Zener Diode, 10V	AB
D4010	RH-EX1271CEZZ	J	Zener Diode, 10V	AB

RESISTORS

R4005	VRS-CY1JF123J	J	12k 1/16W	Metal Oxide	AA
R4006	VRS-CY1JF822J	J	8.2k 1/16W	Metal Oxide	AA
R4011	VRS-CY1JF123J	J	12k 1/16W	Metal Oxide	AA
R4012	VRS-CY1JF822J	J	8.2k 1/16W	Metal Oxide	AA

SWITCHES

S4701	QSW-P0035GEZZ	J	MAIN POWER	AF
SW4002	QSW-K0108CEZZ	J	CH(✓)	AD
SW4003	QSW-K0108CEZZ	J	CH(∧)	AD
SW4004	QSW-K0108CEZZ	J	MENU	AD
SW4006	QSW-K0108CEZZ	J	TV/VIDEO	AD
SW4007	QSW-K0108CEZZ	J	VOL.(-)	AD
SW4008	QSW-K0108CEZZ	J	VOL.(+)	AD

MISCELLANEOUS PARTS

P4004	QPLGN0564TAZZ	J	Plug, 5-pin	AC
	QCNW-A282WJZZ	J	Connecting Cord	AH

DUNTKB130DE063 RC/LED UNIT

TRANSISTORS

Q4003	VSDTC144EE/-1	J	DTC144EE	AA
Q4004	VSDTC144EE/-1	J	DTC144EE	AA
Q4007	VSUMG4N++++-1Y	J	UMG4N++++	AB

DIODES

D4012	RH-EX1271CEZZ	J	Zener Diode, 12V	AB
D4013	RH-EX1271CEZZ	J	Zener Diode, 12V	AB
D4014	RH-PX0421CEZZ	J	POWER Indicator	AD
D4015	RH-PX0421CEZZ	J	SLEEP Indicator	AD
D4022	RH-EX1271CEZZ	J	Zener Diode, 12V	AB

CAPACITOR

C4018	RC-KZ1025CEZZ	J	1 10V	Ceramic	AB
-------	---------------	---	-------	---------	----

RESISTORS

R4021	VRS-CY1JF101J	J	100 1/16W	Metal Oxide	AA
R4023	VRS-CY1JF472J	J	4.7k 1/16W	Metal Oxide	AA
R4024	VRS-CY1JF471J	J	470 1/16W	Metal Oxide	AA
R4029	VRS-CY1JF472J	J	4.7k 1/16W	Metal Oxide	AA
R4030	VRS-CY1JF472J	J	4.7k 1/16W	Metal Oxide	AA

MISCELLANEOUS PARTS

P4005	QPLGN0564TAZZ	J	Plug, 5-pin	AC
RMC4002	RRMCU0239CEZZ	J	Remote Sensor	AG

Ref. No. Part No. ★ Description Code

DUNTKB132DE01 INVERTER-A UNIT

TRANSISTORS

Q6700	VSFZT1053A/-1	J	FZT1053A	AG
Q6701	VSFZT1053A/-1	J	FZT1053A	AG
Q6702	VS2SA1530AR-1	J	2SA1530AR	AB
Q6703	VSFZT1053A/-1	J	FZT1053A	AG
Q6704	VSFZT1053A/-1	J	FZT1053A	AG
Q6705	VS2SA1530AR-1	J	2SA1530AR	AB
Q6706	VSFZT1053A/-1	J	FZT1053A	AG
Q6707	VSFZT1053A/-1	J	FZT1053A	AG
Q6708	VS2SA1530AR-1	J	2SA1530AR	AB

DIODE

D6700	VHDI MN10///-1	J	Diode	AB
-------	----------------	---	-------	----

COILS

L6700	RCiLP0420CEZZY	J	Coil	AF
L6702	RCiLP0420CEZZY	J	Coil	AF
L6704	RCiLP0420CEZZY	J	Coil	AF

TRANSFORMERS

△ T6700	RTRNZ0806CEZZQ	J	Transformer	AM
△ T6701	RTRNZ0806CEZZQ	J	Transformer	AM
△ T6702	RTRNZ0806CEZZQ	J	Transformer	AM
△ T6703	RTRNZ0806CEZZQ	J	Transformer	AM
△ T6704	RTRNZ0806CEZZQ	J	Transformer	AM
△ T6705	RTRNZ0806CEZZQ	J	Transformer	AM

CAPACITORS

[M-Poly. ...Metalized Polypro Film]

C6702	VCKYCY1CB333K	J	0.033 16V Ceramic	AA
C6703	VCKYCY1CB333K	J	0.033 16V Ceramic	AA
C6704	VCEA4A1CN108M	J	1000 16V Electrolytic	AD
C6707	VCKYCY1CB333K	J	0.033 16V Ceramic	AA
C6708	VCKYCY1CB333K	J	0.033 16V Ceramic	AA
C6709	VCEA4A1CN108M	J	1000 16V Electrolytic	AD
C6712	VCKYCY1CB333K	J	0.033 16V Ceramic	AA
C6713	VCKYCY1CB333K	J	0.033 16V Ceramic	AA
C6714	VCEA4A1CN108M	J	1000 16V Electrolytic	AD
C6725	RC-FZA043WJZZ	J	0.14 250V M-Poly.	AE
C6726	RC-FZA043WJZZ	J	0.14 250V M-Poly.	AE
C6727	RC-FZA043WJZZ	J	0.14 250V M-Poly.	AE

RESISTORS

R6700	VRS-TW2ED332J	J	3.3k 1/4W Metal Oxide	AB
R6701	VRS-TW2ED332J	J	3.3k 1/4W Metal Oxide	AB
R6702	VRS-CY1JF103J	J	10k 1/16W Metal Oxide	AA
R6703	VRS-CY1JF333J	J	33k 1/16W Metal Oxide	AA
R6704	VRS-TW2ED332J	J	3.3k 1/4W Metal Oxide	AB
R6705	VRS-TW2ED332J	J	3.3k 1/4W Metal Oxide	AB
R6706	VRS-CY1JF103J	J	10k 1/16W Metal Oxide	AA
R6707	VRS-CY1JF333J	J	33k 1/16W Metal Oxide	AA
R6708	VRS-TW2ED332J	J	3.3k 1/4W Metal Oxide	AB
R6709	VRS-TW2ED332J	J	3.3k 1/4W Metal Oxide	AB
R6710	VRS-CY1JF103J	J	10k 1/16W Metal Oxide	AA
R6711	VRS-CY1JF333J	J	33k 1/16W Metal Oxide	AA

MISCELLANEOUS PARTS

△ F6700	QFS-B1021GEZZ	J	Fuse, 1A/125V	AE
△ F6701	QFS-B1021GEZZ	J	Fuse, 1A/125V	AE
△ F6702	QFS-B1021GEZZ	J	Fuse, 1A/125V	AE
FH6700	QFSDH1002CEZZ	J	Fuse Holder	AA
FH6701	QFSDH1002CEZZ	J	Fuse Holder	AA
FH6702	QFSDH1002CEZZ	J	Fuse Holder	AA
FH6703	QFSDH1002CEZZ	J	Fuse Holder	AA
FH6704	QFSDH1002CEZZ	J	Fuse Holder	AA
FH6705	QFSDH1002CEZZ	J	Fuse Holder	AA
P6700	QPLGN0155FJZZ	J	Plug, 3-pin	AE
P6701	QPLGN0155FJZZ	J	Plug, 3-pin	AE
P6702	QPLGN0155FJZZ	J	Plug, 3-pin	AE
P6705	QPLGN0378GEZZ	J	Plug, 3-pin	AB
	QCNW-6061CEZZ	J	Connecting Cord	AF

Ref. No. Part No. ★ Description Code

DUNTKB133DE01 INVERTER-B UNIT

TRANSISTORS

Q6709	VSFZT1053A/-1	J	FZT1053A	AG
Q6710	VSFZT1053A/-1	J	FZT1053A	AG
Q6711	VS2SA1530AR-1	J	2SA1530AR	AB
Q6712	VSFZT1053A/-1	J	FZT1053A	AG
Q6713	VSFZT1053A/-1	J	FZT1053A	AG
Q6714	VS2SA1530AR-1	J	2SA1530AR	AB

DIODE

D6701	VHDI MN10///-1	J	Diode	AB
-------	----------------	---	-------	----

COILS

L6706	RCiLP0420CEZZY	J	Coil	AF
L6708	RCiLP0420CEZZY	J	Coil	AF

TRANSFORMERS

△ T6706	RTRNZ0806CEZZQ	J	Transformer	AM
△ T6707	RTRNZ0806CEZZQ	J	Transformer	AM
△ T6708	RTRNZ0806CEZZQ	J	Transformer	AM
△ T6709	RTRNZ0806CEZZQ	J	Transformer	AM

CAPACITORS

[M-Poly. ...Metalized Polypro Film]

C6717	VCKYCY1CB333K	J	0.033 16V Ceramic	AA
C6718	VCKYCY1CB333K	J	0.033 16V Ceramic	AA
C6719	VCEA4A1CN108M	J	1000 16V Electrolytic	AD
C6722	VCKYCY1CB333K	J	0.033 16V Ceramic	AA
C6724	VCEA4A1CN108M	J	1000 16V Electrolytic	AD
C6740	RC-FZA043WJZZ	J	0.14 250V M-Poly.	AE
C6741	RC-FZA043WJZZ	J	0.14 250V M-Poly.	AE


RESISTORS

R6712	VRS-TW2ED332J	J	3.3k 1/4W Metal Oxide	AB
R6713	VRS-TW2ED332J	J	3.3k 1/4W Metal Oxide	AB
R6714	VRS-CY1JF103J	J	10k 1/16W Metal Oxide	AA
R6715	VRS-CY1JF333J	J	33k 1/16W Metal Oxide	AA
R6716	VRS-TW2ED332J	J	3.3k 1/4W Metal Oxide	AB
R6717	VRS-TW2ED332J	J	3.3k 1/4W Metal Oxide	AB
R6718	VRS-CY1JF103J	J	10k 1/16W Metal Oxide	AA
R6719	VRS-CY1JF333J	J	33k 1/16W Metal Oxide	AA

MISCELLANEOUS PARTS

△ F6703	QFS-B1021GEZZ	J	Fuse, 1A/125V	AE
△ F6704	QFS-B1021GEZZ	J	Fuse, 1A/125V	AE
FH6706	QFSDH1002CEZZ	J	Fuse Holder	AA
FH6707	QFSDH1002CEZZ	J	Fuse Holder	AA
FH6708	QFSDH1002CEZZ	J	Fuse Holder	AA
FH6709	QFSDH1002CEZZ	J	Fuse Holder	AA
P6703	QPLGN0155FJZZ	J	Plug, 3-pin	AE
P6704	QPLGN0155FJZZ	J	Plug, 3-pin	AE
P6706	QPLGN0378GEZZ	J	Plug, 3-pin	AB
	QCNW-6061CEZZ	J	Connecting Cord	AF

CABINET AND MECHANICAL PARTS



Ref. No.	Part No.	★	Description	Code	Ref. No.	Part No.	★	Description	Code
CABINET AND MECHANICAL PARTS					6-3	MSPRD0088CEFW	J	Spring, for Flap Door	AB
1	CCABAA026WJ01	J	Front Cabinet Ass'y	BK	7	GCOVA2028CEKA	J	Back Cover	AL
1-1	<i>Not Available</i>	—	Front Cabinet	—	8	GCOVA2038CEKA	J	Back Cover	AK
1-2	GCOVA2020CEZZ	J	RC/LED Cover	AF	9	GCOVA2103CEKA	J	Chassis Frame Cover	AG
1-3	PSPAG0393CEUZ	J	Spacer, x4	AB	10	GCOVA2106CEKA	J	Chassis Frame	AU
1-4	PSPAG0404CEZZ	J	Spacer, x2	AB	11	JBTN-2066CEKA	J	Power Button	AD
1-5	PSPAG0405CEZZ	J	Spacer, x2	AC	12	LANGT9032CEFW	J	Stand Reinforcemnt Angle	AR
1-6	PSPAG0416CEZZ	J	Spacer, x2	AC	13	LX-BZ3442CEFF	J	Screw, x4	AB
1-7	PSPAH0678CEZZ	J	Spacer, x2	AA	14	PCOVZ9002CEZZ	J	Card Unit Cover	AC
1-8	PSPAH0699CEUZ	J	Mask Spacer(S), x2	AD	15	PMLT-0404CEZZ	J	Light Shielding Spacer, x1	AD
1-9	PSPAH0700CEUZ	J	Mask Spacer(L), x2	AD	16	PMLT-0405CEZZ	J	Light Shielding Spacer, x1	AD
1-10	QCNW-6062CEZZ	J	Connecting Cord(SP)	AD	17	PMLT-A024WJZZ	J	Spacer, x1	AD
1-11	VSP0050PBP68S	J	Speaker, x2	AT	18	RCORF0103CEZZ	J	Ferrite Core	AK
1-12	XEBSD40P10000	J	Screw, x8	AA	19	TLABNA021WJZZ	J	Serial No. Label	AF
2	CCABBA013WJ02	J	Rear Cabinet Ass'y	BC	20	QCNW-A548WJZZ	J	Connecting Cord, x3	AF
2-1	<i>Not Available</i>	—	Rear Cabinet	—	21	QCNW-6058CEZZ	J	Connecting Cord	AE
2-2	HINDPA025WJSA	J	Model Label	AG	22	QCNW-A549WJZZ	J	Connecting Cord	AR
2-3	TCAUH3096CESA	J	Caution Label	AE	23	QCNW-A267WJZZ	J	Connecting Cord	AK
3	CDAi-1122CE05	J	Stand Ass'y	BR	24	QCNW-6059CEZZ	J	Connecting Cord	AE
3-1	GCOVA1945CESA	J	Handle Grip	AK	25	QCNW-A282WJZZ	J	Connecting Cord	AH
3-2	GDAi-1122CEN1	J	Stand, Base	BA	26	QCNW-6061CEZZ	J	Connecting Cord(P6705)	AF
3-3	GDAi-1123CESA	J	Stand, Joint	AQ	27	QCNW-6061CEZZ	J	Connecting Cord(P6706)	AF
3-4	GDAi-3049CESA	J	Stand, Base Joint	AQ	28	XBBSD40P06000	J	Screw, x4	AA
3-5	GDAi-3053CESA	J	Stand, Support	AQ	29	XBBSF30P06000	J	Screw, x2	AA
3-6	GLEGG9093CEZZ	J	Leg, x6	AC	30	XBPSD30P10JS0	J	Screw, x8	AA
3-7	JHNDP0103CESA	J	Stand Handle	AX	31	XEBSD30P08000	J	Screw, x9	AA
3-8	LANGG0114CEFW	J	Fixing Metal, x2	AE	32	XEBSF40P16000	J	Screw, x12	AA
3-9	LX-BZ3441CEFN	J	Screw, x1	AD	33	XEPSD20P08000	J	Screw, x2	AA
3-10	MHNG-3044CEFW	J	Hinge(L)	AV	34	XEPSD30P06000	J	Screw, x3	AA
3-11	MHNG-3049CEFW	J	Hinge(R)	AU	35	PSLDM4693CEFW	J	Shield	AD
3-12	MHNG-3050CEFW	J	Hinge(Side)	AV					
3-13	PSPAT0079CEZZ	J	Spacer, x2	AC					
3-14	PSPAZ0415CEZZ	J	Spacer, x2	AB					
3-15	XCBSD50P25000	J	Screw, x4	AB					
3-16	XCSSN50P25000	J	Screw, x4	AB					
3-17	XESSD40P14000	J	Screw, x8	AB					
3-18	XESSN40P10000	J	Screw, x8	AB					
3-19	XWHSN50-16120	J	Washer, x4	AB					
4	CCOVA2109CE01	J	Top Cover Ass'y	AN					
4-1	<i>Not Available</i>	—	Top Cover	—					
4-2	GCOVA1943CEKA	J	Button Cover(VOL)	AD					
4-3	GCOVA1943CEKB	J	Button Cover(CH)	AD					
4-4	JBTN-2076CEKA	J	Button	AE					
4-5	XEBSD30P08000	J	Screw, x2	AA					
5	<i>Not Available</i>	—	20" LCD Panel Ass'y	—					
5-1	RLCDA014WJZZ	J	20" LCD Panel Unit	DT					
5-2	LHLDW1173CEZZ	J	Wire Holder, x1	AD					
5-3	PMLT-0402CEZZ	J	Spacer, x1	AC					
5-4	PSLDM4685CEFW	J	Back Shielding Plate	AX					
△ 5-5	KLMP-0124CEZZ	J	Lamp	BH					
△ 5-6	KLMP-0125CEZZ	J	Lamp	BD					
5-7	LHLDZ2176CEZZ	J	Lamp Fixing Holder, x2	AL					
5-8	MSPRP1220CEFW	J	ITO Earth Spring	AC					
5-9	PCOVU0107CEZZ	J	Diffusion Sheet Cover	AY					
5-10	PMiR-0296CEZZ	J	Reflection Plate	AX					
5-11	PMLT-0377CEZZ	J	Spacer	AD					
5-12	PSHEP0286CEZZ	J	Reflectio/Deflection Sheet	BP					
5-13	PSHEP0287CEZZ	J	Prism Sheet	BC					
5-14	PSHEP0288CEZZ	J	Diffusion Sheet	AQ					
5-15	PSHEP0289CEZZ	J	ITO Sheet	AY					
5-16	QCNW-6054CEZZ	J	Connecting Cord	AD					
5-17	QCNW-6055CEZZ	J	Connecting Cord	AD					
5-18	QCNW-6056CEZZ	J	Connecting Cord	AF					
5-19	XBBSD30P08000	J	Screw, x10	AA					
5-20	XEBSD20P05000	J	Screw, x6	AA					
5-21	XEBSD30P08000	J	Screw, x1	AA					
6	CCOVA2031CE01	J	PC Card Frame Ass'y	AK					
6-1	<i>Not Available</i>	—	PC Card Frame	—					
6-2	GCOVA2061CEKA	J	Flap Door	AD					

Ref. No.	Part No.	★	Description	Code
SUPPLIED ACCESSORIES				
⚠	LHLDW0109CESA	J	Cable Calmp, x2	AD
	QACCD3097CEPA	J	AC Cord	AQ
	QCNWG0003CEPA	J	Antenna Cable	AM
	RRMCGA051WJSA	J	Remote Control	AT
	TiNS-A109WJZZ	J	Operation Manual	AY
⚠	UADP-0243CEPZ	J	AC Adaptor	BL


EXTENSION CABLE

(For servicing)

QCNW-A323WJZZ	J	FFC (P2004-P3702)	AD
QCNW-A324WJZZ	J	FFC (SC3403-SC2001)	AE

Ref. No.	Part No.	★	Description	Code
PACKING PARTS <i>(NOT REPLACEMENT ITEM)</i>				
	SPAKCA054WJZZ	—	Packing Case	—
	SPAKPA001WJZZ	—	Wrapping Paper	—
	SPAKXA050WJZZ	—	Buffer Material	—
	SSAKA0160CEZZ	—	Polyethylene Bag	—
	TLABK0001TAZZ	—	Carton Label	—

PACKING OF THE SET



SHARP

COPYRIGHT © 2002 BY SHARP CORPORATION

ALL RIGHTS RESERVED.

No part of this publication may be reproduced,
stored in a retrieval system, or transmitted in
any form or by any means, electronic, mechanical,
photocopying, recording, or otherwise, without
prior written permission of the publisher.